

8IGHT XT/XTE Race Kit: 1/8 4WD Nitro/Electric Truggy

TLR04009



KEY SELLING POINTS

- TLR FIRST...NITRO AND ELECTRIC OPTIONS INCLUDED IN ONE KIT!
- Improved Suspension Geometry: The 8IGHT-X Next Gen suspension geometry
- Suspension Arms: All new suspension arms have been designed to accept stiffener plates
- Wide 3mm Chassis: Chassis width has been increased to aid in stability and give the truggy a more neutral feel
- Better Diff Access: The front and rear diff case have been altered to allow easier access
- Equalized driveline: The center drive shaft angles have been modified so they are equal front to rear
- Adjustable Castor Blocks: 17.5 deg castor blocks that allow the height of the spindle to be adjusted.
- Chassis Balance: The weight has been moved forward in the chassis to provide a better driving balance
- One Piece Motor Mount: One piece aluminum motor mount that is easy to adjust pinion sizing for electric motors.
- Steering Rack: Redesigned steering rack which will allow more ackerman adjustments
- Sway Bar System: New sway bar system that has collars on each side to keep sway bar centered
- Cab Forward Body: Cab forward design helps with overall down force, which improves steering and overall stability.
- Ball Bearing Throttle and Brake Actuator: The throttle and brake actuator uses ball bearings in order to give a super smooth feel on the throttle.

DEALER BENEFITS

- Long awaited "X" version of the original 8IGHT T
- Nitro and Electric in one kit
- Completion items needed: Extra sales



COMPLETION ITEMS

ELECTRIC


DYNT1260	Shock Shaft Pliers/Multi-Tool	
SPM5010	DX5 Pro DSMR Tx w/SR2100	
SPMSS6090	S6090 High Voltage Servo	
SPMX50004S100H5 5000mAh 4S 14.8V Smart 100C; IC5		
SPMXC1080	"Smart S1100 AC Charger, 1x100W"	
SPMXCA507	Adapter: IC3 Battery/IC5 Device	
TEKTT2332	1/8 Rx8gen3 ESC 4030 BL 1900kv	

<u>NITRO</u>

DYN2003	"Fast Fill Fuel Bottle, 500cc"
DYNB0510	7.4V 3200MAh Li-Ion RX pack
DYNC2005CA	ProphetSport LiPo 35W AC Charge
DYNE1600	Nitro Engine Heater 12V DC
DYNT1260	Shock Shaft Pliers/Multi-Tool
LOSF0430	"Nitrotane Race 30%, Quart"
OSMG2085	SpeedB21 Adam Drake II Combo
SPM5010	DX5 Pro DSMR Tx w/SR2100
SPMSS6290	S6290 U-T / H-S Digital HV WP Servo

SPECIFICATIONS

Type: 1/8th Nitro/Electric 4WD Truggy Length: 21.1 in (535mm) Width: 16.6 in (421mm) Wheel Base: 14.7 in (373mm) Height: 7.3 in (185mm) Weight: Varys based on components Chassis: 3mm, 7075 T-6 Aluminum, Hard Anodized Suspension: Independent Shock: Big Bore, Threaded Aluminum Drivetrain: 4WD Differential: Oil Filled, Gear Differential







Top Replacement Parts

TLR240017	Body: 8XT
TLR241065	NYA Chassis: 8XT
TLR240010	Wing, Black, IFMAR
TLR244069	Front Arms, Inserts (2): 8XT

TLR244070	Rear Arms,Mud Grd,Inserts(2):8X
TLR344031	Shock Shaft, Rear, 3.5mm: 8X"
TLR244066	Shock, Shaft, Rear, 3.5mm, 8XT









