

TRX-4® Chevrolet® K10 High Trail Edition™ (Model 92056-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Axie Components	5180A 5103A	Ball bearings, black rubber sealed (6x13x5mm) (2) Ball bearings, black rubber sealed (7x14x5mm) (2)
3241	Axle housing, front	0100/1	
3242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)		Body (1979 Chevrolet® K10 Truck)
3227	Axle mount set (complete) (front & rear) (for suspension links)	9226	Body cage (fits #9212 body)
228	Axle shaft, front (left)/ drive pin/ cross pin	9228	Body mounts (front & rear)/ 3x10mm BCS (7) (fits #9212 body)
229 060	Axle shaft, front (right)/ drive pin/ cross pin Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear)	9212	Body, Chevrolet K10 Truck (1979) (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door handles, windshield wipers, clipless mounting, hardware)
062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear, front (machined) (2) (assembled)	9212X	(requires #9288 inner fenders) Body, Chevrolet K10 Truck (1979), complete, black (painted, decals
230	Axle shaft, rear (left)		applied) (includes grille, side mirrors, door handles, windshield
231	Axle shaft, rear (right)		wipers, front & rear bumpers, clipless mounting) (requires #9288
063	Axle shaft, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear)	9212R	inner fenders) Body, Chevrolet K10 Truck (1979), complete, red (painted, decals
061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined) (2) (assembled)		applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #9288
147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)	6593	inner fenders) Distribution block, Pro Scale® Advanced Lighting Control
283	Cable, T-lock, rear (185mm)	6593	System
233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)	8134	Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4)/
256	Portal drive axle mount, rear (left & right)	0104	headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits
256X	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4)	8082	#8130 or 9212 series bodies) Installation kit, Pro Scale® Advanced Lighting Control System,
256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray- anodized) (left and right)/ 2.5x16 CS (4)	0002	TRX-4® Chevrolet Blazer or K10 Truck (1979) (includes mount, reverse lights harness, hardware)
256G	Portal drive axle mount, rear, 6061-T6 aluminum (green- anodized) (left and right)/ 2.5x16 CS (4)	8039	LED light set (contains headlights, tail lights, side marker lights & distribution block) (fits #8130 series bodies, requires #8028
256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)		power supply)
	(left and right)/ 2.5x16 CS (4)	8038	LED light set, complete with power supply (contains headlights
252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)		tail lights, side marker lights, & distribution block) (fits #8130
253	Portal drive housing, inner, rear (left or right) (2)		series bodies)
251 064	Portal drive housing, outer (front or rear) (2) Portal drive input gear, front (machined) (left or right) (requires	9263	Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar)
257	#8060 front axle shaft) Portal drive input gear, front/ drive pin/ cross pin	6592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)
259 065	Portal drive input gear, rear Portal drive input gear, rear (machined) (left or right) (requires	6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)
	#8063 rear axle)	8038X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truc
258 252X	Portal drive output gear, front or rear Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2)		(1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 or 9212 series bodies)
252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal gray- anodized) (2)/ 3x12 BCS (2)	6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System
252G	Portal housings, inner (front), 6061-T6 aluminum (green- anodized) (2)/ 3x12 BCS (2)	9262X	Roll bar (assembled with LED lights)/ mounts (front (2), rear (le & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230
252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2)	9262	series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS
253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2)	8135	(self-tapping) (4) (fits #9212 or 9230 series bodies) Tail lights, left & right (assembled)/ tail light retainers, left & right/ sig
253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2)/ 2.5x10 CS (2)		marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8130 or
253G	Portal housings, inner (rear), 6061-T6 aluminum (green- anodized) (2)/ 2.5x10 CS (2)		9212 series bodies)
253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2)	9233	Body (1979 Ford® F-150® Truck) Body cage, front & rear (fits #9230 body)
251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12)	9234 9230	Body mounts, front & rear (fits #9230 body) Body, Ford F-150 (1979) (clear, requires painting)/ decals/
251A	Portal housings, outer, 6061-T6 aluminum (charcoal grayanodized) (2)/ 2.5x10 CS (12)		window masks (includes grille, side mirrors, door handles, windshield wipers, clipless mounting, hardware) (requires #926
251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12)	0220 EL 1/	inner fenders) (roll bar sold separately; choose #9262 chrome, 9262R black, or 9262X chrome with lights)
251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12)	9230-BLK	Body, Ford F-150 (1979), complete, black (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #928
255A	Stub axle, extended thread (portal drive) (2)		inner fenders) (roll bar sold separately; choose #9262 chrome,
267	Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	9230-BLUE	9262R black, or 9262X chrome with lights) Body, Ford F-150 (1979), complete, blue (painted, decals applie
	Bearings & Bushings		(includes grille, side mirrors, door handles, windshield wipers,
119A	Ball bearings, black rubber sealed (10x15x4mm) (2)		front & rear bumpers, clipless mounting) (requires #9288 inner
120A	Ball bearings, black rubber sealed (10x10x4mm) (2)		fenders) (roll bar sold separately; choose #9262 chrome, 9262F
104A	Ball bearings, black rubber sealed (4x10x4mm) (2)	0000	black, or 9262X chrome with lights)
115A	Ball bearings, black rubber sealed (5x10x4mm) (2)	9230-	Body, Ford F-150 (1979), complete, brown (painted, decals
	, , , ,	BRWN	applied) (includes grille, side mirrors, door handles, windshield
116A	Ball pearings, plack rupper sealed (5x11x4mm) (7)		wingre front & roar humanre clinines mounting) /roauting #00
5116A 5114A	Ball bearings, black rubber sealed (5x11x4mm) (2) Ball bearings, black rubber sealed (5x8x2.5mm) (2)		wipers, front & rear bumpers, clipless mounting) (requires #926 inner fenders) (roll bar sold separately; choose #9262 chrome,

6593	Distribution block, Pro Scale® Advanced Lighting Control	8235	Bumper, front/ winch/ 2.6x8 BCS (1)
	System	8236	Bumper, rear
8075	Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 or 9230 series bodies)	8125 8136	Bumper, rear (176mm wide) Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)
8070	Grille, Ford Bronco or F-150/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 or	9237 8138 8238	Extender, skid plate Push bar, bumper, chrome (assembled) (fits #8137 bumper)
	9230 series bodies)	0230	Skidplate/ lower gear cover
032	Installation kit, Pro Scale® Advanced Lighting Control System,		Chassis & Attachments
	TRX-4® Ford Bronco (1979) or Chevrolet K10 Truck (1979)	8215	Body mounts & posts, front & rear (complete set)
036	(includes mount, reverse lights harness, hardware) LED light set (contains headlights, tail lights, side marker lights,	8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)
	and distribution block) (fits #8010 body, requires #8028 power supply)	8058	Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inn
035	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body)	8057	fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear
037	LED lights, high/low switch (for #8035 or #8036 LED light kits)		shock towers, long female half shaft)
263	Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar)	8220	Chassis rails, 448mm (steel) (left & right)
073	Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies)	9229 8081	Chassis rails, 480mm (steel) (left & right) Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders)
073X	Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies)	8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 C
592	Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware)	8072	(10) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ batte
5591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	9288	plate/ 3x8 flathead screws (4) Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rc
8035R	Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-		light covers (8)
	150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies)	8218 8224X	Floor pans, left & right Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease
594	Receiver communication cable, Pro Scale® Advanced Lighting	8219	Rock sliders, left & right
	Control System	8225	Seal kit, receiver box (includes o-ring, seals, and silicone
262X	Roll bar (assembled with LED lights)/ mounts (front (2), rear (left		grease)
	& right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies)	8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
262R	Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm	8239	Servo mount, steering/ chassis crossmember
	BCS (self-tapping) (4) (fits #9212 or 9230 series bodies)	8216 8226	Shock towers, front & rear (left & right)
262	Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies)	0220	Tray, battery Differential Components
231	Side trim, left & right (chrome)/ LED lens/ 2.6x8mm BCS (14)/	8281	Carrier, differential/ differential slider/ T-Lock fork
076	2.6x10mm BCS (6) (fits #9230 body) Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS	8280A	Differential cover, front or rear (black)
0.0	(24) (fits #8010 series bodies)	8280X 8280	Differential cover, front or rear (chrome plated) Differential cover, front or rear (grey)
232	Tailgate panel/ tail light lens (left & right)/ tail light housing (left & right)/ 1.6x10mm BCS (self-tapping) (2) (fits #9230 body)	8280R 8195	Differential cover, front or rear (red) Differential, locking, front and rear (assembled) (includes T-Lock
	Body Accessories	0.00	cables and servos)
926	Antenna caps, vinyl (2)/ antenna spool	8282	Gear set, differential (output gears (2), spider gears (4), spider gea
726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		shaft (2))
834	Body Clips (12) (standard size)	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)
834A	Body clips, black (12) (standard size)		(1) 3x6 BCS with threadlock (1))
934	Body clips, heavy duty (12)	8279	Ring gear, differential/ pinion gear, differential
934A 215	Body clips, heavy duty (black) (12) Body mounts & posts, front & rear (complete set)	8279R	Ring gear, differential/ pinion gear, differential (machined)
228	Body mounts (front & rear)/ 3x10mm BCS (7) (fits #9212 body)	8287	Ring gear, differential/ pinion gear, differential (overdrive,
115	Body posts, front & rear	0000	machined)
915	Body washers, foam adhesive (10)	8288	Ring gear, differential/ pinion gear, differential (underdrive, machined)
514	Decal sheet, racing sponsors	8297	Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with
081	Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 narrow inner fenders)		threadlock) (4) Driveline Components
080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)	9250	Driveshaft extension kit, center (includes internal splined, xx-long (internal splined, medium (1) and internal splined, short (1))
072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4)	8250	Half shafts, center (internal splined, front (2) & internal splined, real (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
288	Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rock light covers (8)	8255A 8269	Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
950 262X	Official Team Traxxas® racing decal set(flag logo/ 6-color) Roll bar (assembled with LED lights)/ mounts (front (2), rear (left	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)
202A	& right)/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies)	8269A	3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ 3x10 screw pin (4)
262	Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies)	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4 3x10 screw pin (4)
	Bumpers & Skidplates	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
234	Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4)		3x10 screw pin (4)
234R	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)		Hardware
067	Bumper mounts, front & rear	1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
067X	Bumper mounts, front & rear/ bumper mount, rear (offset)	1834	Body Clips (12) (standard size)
237	Bumper mounts, front & rear/ screw pins (4)	1834A	Body clips, black (12) (standard size)
	Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)	3934	Body clips, heavy duty (12)
1 24 137	Bumper, front (17611111 wide)/ winch 2.0x8 BCS (1) Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)	3934A	Body clips, heavy duty (black) (12)

Page 3 TRX-4® Chevrolet® K10 High Trail Edition™: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92056-4) Parts List

4859	CS 3x10 flathead (hex drive)		Long Avm Lift Vit
8167X	Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)	8162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use
8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®)	8162R	#8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use
8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit)	8162	with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball	8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)
1747P 3647	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8)	8148	Cable, T-lock, extra long (193mm) (for use with TRX-4® Long
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)		Arm Lift Kit)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)	9283	Cable, T-lock, rear (185mm)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	8150	Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1))
1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)		(for use with TRX-4® Long Arm Lift Kit)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	8140	Long arm lift kit, TRX-4®, complete
1985 8221	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6)	8140X	Long arm lift kit, TRX-4®, complete (includes blue powder
9236	Screws, 1.6x10mm button-head, self-tapping (hex drive) (6)	8140R	coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated
2523	Screws, 2.5x10 countersunk machine (hex drive) (6)	014010	links, red-anodized shocks)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)	8149	Rod ends, extended (standard (4), angled (4))/ hollow balls (8)
3236	Screws, 2.5x12mm cap-head machine (6)		(for use with TRX-4® Long Arm Lift Kit)
2618 3215	Screws, 2.5x16mm cap-head machine (6) Screws, 2.5x6mm cap-head machine (hex drive) (6)	8141	Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)
2524	Screws, 2.5x8 countersunk machine (hex drive) (6)	8161	Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit)
2617	Screws, 2.5x8mm button-head machine (hex drive) (6)	8160X	Shocks, GTS, aluminum (blue-anodized) (assembled without
3965	Screws, 2.5x8mm cap-head machine (6)		springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)
8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)	8160R	Shocks, GTS, aluminum (red-anodized) (assembled without
8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)	8160	springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit)
2564 2577	Screws, 2x8mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6)	0100	Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit)
2578	Screws, 3x12mm button-head machine (hex drive) (6)	8153	Springs, shock, long (natural finish) (GTS) (0.29 rate, white
2579	Screws, 3x15mm button-head machine (hex drive) (6)		stripe) (for use with TRX-4® Long Arm Lift Kit)
2591	Screws, 3x23mm button-head machine (hex drive) (6)	8154	Springs, shock, long (natural finish) (GTS) (0.39 rate, orange
2581	Screws, 3x25mm button-head machine (hex drive) (6)	8155	stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with
2616	Screws, 3x27mm button-head machine (hex drive) (6)	0100	TRX-4® Long Arm Lift Kit)
2582 2575	Screws, 3x30mm button-head machine (hex drive) (6) Screws, 3x6mm button-head machine (hex drive) (6)	8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, green
3932	Screws, 3x6mm flat-head machine (hex drive) (6)		stripe) (for use with TRX-4® Long Arm Lift Kit)
2576	Screws, 3x8mm button-head machine (hex drive) (6)	8157	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)	8146X	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link,
3933	Screws, 4x16mm button-head machine (hex drive) (6) LED LICINT ACCESSOTIOS	01407	5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
8031	3-in-1 wire harness, LED light kit	8146R	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link,
8089	4-in-2 wire harness, LED light kit		5x63mm (red powder coated steel) (assembled with hollow balls)
6589	Distribution block, LED light set	8144X	(for use with #8140R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (blue powder coated
6593	Distribution block, Pro Scale® Advanced Lighting Control	01447	steel) (assembled with hollow balls) (for use with #8140X TRX-4®
0000	System		Long Arm Lift Kit)
8032	Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Ford Bronco (1979) or Chevrolet K10 Truck (1979)	8144R	Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®
8039	(includes mount, reverse lights harness, hardware) LED light set (contains headlights, tail lights, side marker lights,		Long Arm Lift Kit)
0039	& distribution block) (fits #8130 series bodies, requires #8028	8144	Suspension link, front upper, 5x68mm (1) (steel) (assembled with
	power supply)	0112	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
8038	LED light set, complete with power supply (contains headlights,	8143	Suspension links, front lower (2) (5x104mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
	tail lights, side marker lights, & distribution block) (fits #8130 series bodies)	8143X	Suspension links, front lower, blue (2) (5x104mm, powder coated
8028	LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire		steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
8026X	harness LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply	8143R	Suspension links, front lower, red (2) (5x104mm, powder coated
00207	and #8018, #8072, or #8080 inner fenders)		steel) (assembled with hollow balls) (for use with #8140R TRX-4®
9263	Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar)	8145	Long Arm Lift Kit) Suspension links, rear lower (2) (5x115mm, steel) (assembled with
6592	Power module, Pro Scale® Advanced Lighting Control System	8145X	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated
	(includes mount, communication cables, hardware)	01437	steel) (assembled with hollow balls) (for use with #8140X TRX-4®
6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)		Long Arm Lift Kit)
8038X	Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck	8145R	Suspension links, rear lower, red (2) (5x115mm, powder coated
OUOUX	(1979), complete with power module (contains headlights, tail		steel) (assembled with hollow balls) (for use with #8140R TRX-4®
	lights, side marker lights, & distribution block) (fits #8130 or	8142	Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with
6504	9212 series bodies)		hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System	8142X	Suspension links, rear upper, blue (2) (5x115mm, powder coated
9262X	Roll bar (assembled with LED lights)/ mounts (front (2), rear (left		steel) (assembled with hollow balls) (for use with #8140X TRX-4®
	& right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230	8142R	Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated
	series bodies)	U.721\	steel) (assembled with hollow balls) (for use with #8140R TRX-4®
9262	Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies)		Long Arm Lift Kit)
	(con tapping) (4) (into #2212 of 2200 Series Doules)	8172	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock
			2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right)

Page 4	TRX-4® Chevrolet® K10 High Trail Edition™: TQi™ Tra	xxas Lin	k™ Enabled 2.4GHz Radio (Model 92056-4) Parts List
8184	Tires & wheels, assembled, glued (2.2" classic chrome wheels,		Radio System, Batteries & Chargers
	Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2),	2823X	1400mah 11.1v 3-Cell 25C LiPo Battery
8181	rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels,	2820X	2200mah 7.4v 2-Cell 25C LiPo Battery
0101	Canyon Trail 5.3x2.2" tires) (2)	2849X	4000mah 11.1v 3-Cell 25C LiPo Battery
8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)	2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
8171	Wheels, 2.2", Method Race Wheels® 105 Beadlock (black	2842X	5000mah 7.4v 2-Cell 25C LiPo Battery
	chrome, beadlock) (beadlock rings sold separately)	2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
8171A	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal	2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
0400	gray, beadlock) (beadlock rings sold separately)	2914	Battery, Power Cell AA Alkaline (4)
8180	Wheels, TRX-4® Sport 2.2 (2)	2976 2938X	AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®
	Motors & Electronics	29307	batteries to separate balance ports)
1926	Antenna caps, vinyl (2)/ antenna spool	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	2943	Battery charge indicators, green (4), grey (4), blue (4)
2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage)	6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517
2064A	(includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo)		transmitter)
2064R	Gear set, metal (for 2065R waterproof sub-micro servo)	8222	Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell
2072X	Gear set, metal (for 2070, 2075 servos)	2923X	LiPo batteries)
2252	Gear set, metal (for 2250, 2255 servos)	2940X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2272	Gear set, metal (for 2270 waterproof servo)	2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)	2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)	2983	Battery/charger completer pack (includes #2969 2-amp NiMH
8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)		peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH
8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)		iD® battery (1))
8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)	2992	Battery/charger completer pack (includes #2970 iD® charger (1),
3975R 8290	Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)	2994	#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))
2254	Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)	2334	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)	2991	Battery/charger completer pack (includes #2972 Dual iD charger
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for		(1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))
	2250, 2255 servos)	2262	BEC, complete (12.6 volts (3s LiPo) maximum input voltage)
2271	Servo case/ gaskets (for 2270 waterproof servo)		(includes receiver box cover and seals)
2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)	2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro	2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2002	Servo)	2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto
2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)	2373	Battery Identification
5669	Servo horn (with built-in spring and hardware) (for Summit locking	2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery
0000	differential)		Identification
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),		Identification
	waterproof (#2262 external BEC and #8247X metal servo horn	2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto
0055	recommended for optimal performance)	6525	Battery Identification Communication link, telemetry expander
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal	6512	Cover plate, Traxxas® Link Bluetooth® module
	servo horn recommended for optimal performance)	2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof	2064A	Gear set (for 2065A waterproof sub-micro servo)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
2065A	Servo, sub-micro, waterproof	2072X	Gear set, metal (for 2070, 2075 servos)
2065R	Servo, sub-micro, waterproof, metal gear	2252	Gear set, metal (for 2250, 2255 servos)
3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage	2272	Gear set, metal (for 2270 waterproof servo)
2264	detection, fwd/rev/brake)	2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
2261	Y-harness, BEC	2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
	Pro Scale® Winch & Accessories	2968	LiPo cell voltage checker/balancer (requires #2938X adapter for
8867	Bumper, front, winch, medium (includes bumper mount, D-	2300	Traxxas® iD® batteries)
	Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979	6561	Mount, telemetry expander
9950	Blazer with 8855 winch) (217mm wide)	6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal
8859 8870X	Fairlead, winch Fairlead, winch, aluminum (blue-anodized) (use with front		pad
007 UX	bumpers #8865, 8866, 8867, 8869, or 9224)	6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
8870A	Fairlead, winch, aluminum (gray-anodized) (use with front	6552	Seal kit, expander box (includes o-ring, seals, and silicone
	bumpers #8865, 8866, 8867, 8869, or 9224)	6526	grease) Sensor, auto-detectable, temperature
8870G	Fairlead, winch, aluminum (green-anodized) (use with front	6527	Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage
	bumpers #8865, 8866, 8867, 8869, or 9224)	6521	Sensor, temperature and voltage (long)
8870T	Fairlead, winch, aluminum (orange-anodized) (use with front	2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
9970D	bumpers #8865, 8866, 8867, 8869, or 9224)	2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
8870R	Fairlead, winch, aluminum (red-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for
8862	Gearmotor, winch		2250, 2255 servos)
8863	Hook, winch (steel)/ line retainer/ washer	2271	Servo case/ gaskets (for 2270 waterproof servo)
8858	Housings (front & rear), winch/ decal	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
8864X	Line, winch (blue)	2063R	Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro
8864	Line, winch (gray)	2063X	servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro
8864R	Line, winch (red)	2000	servo)
8860	Spool shaft assembly, winch	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
8861 8855	Spool, winch Winch kit with wireless controller TBY 4® and TBY 6®	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),
8856	Winch kit with wireless controller, TRX-4® and TRX-6® Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)		waterproof (#2262 external BEC and #8247X metal servo horn
8857	Wireless remote, winch, TRX-4® and TRX-6®		recommended for optimal performance)
	, . ,		

Page 5 TRX-4® Chevrolet® K10 High Trail Edition™: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Mode	lodel 92056-4) Parts List
---	---------------------------

2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal	8292	Slipper Clutch Components Input shaft/ output shaft (transmission)
2270	servo horn recommended for optimal performance)	8286	Output shafts (transfer case), front & rear
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof	8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm N
2075X 2065A	Servo, digital high-torque, metal gear (ball bearing), waterproof	020.	(1)/ spring washers (2))
2065A 2065R	Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear	8249	Slipper eliminator plate
5553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system		Springs
6550X	Telemetry expander 2.0, TQi radio system (for use only with	0044	
300071	#6551X GPS module)	8041	Springs, shock (GTS) (front) (0.45 rate) (2)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with	8040	Springs, shock (GTS) (rear) (0.54 rate) (2)
	#6550X telemetry expander)	8042	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (
5509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link	8043	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2
	enabled, TSM® (2-ch transmitter, 5-ch micro receiver)	8044	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe)
5507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas®	8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)
	Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro		Spur Gears & Pinion Gears
	receiver)	6746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
5530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-	6747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
.=	channel (transmitter only)	3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened stee
6511 2264	Traxxas® Link Bluetooth® module		(fits 3mm shaft)/ set screw
2261	Y-harness, BEC	3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel
	Ready-To-Race Model		(fits 3mm shaft)/ set screw
92056-4	TRX-4® Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck	3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel
	Body: 4WD Electric Truck with TQi™ Traxxas Link™ Enabled	204EV	(fits 3mm shaft)/ set screw
	2.4GHz Radio System	3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel (fits 3mm shaft)/ set screw
	Scale Details	3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel
3120X	Expedition rack, complete (includes traction boards, shovel, axe,	00 7 0A	(fits 3mm shaft)/ set screw
	jack, fire extinguisher, fuel cans, & mounting hardware) (fits	3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel
	#8111 or #8111R body)		(fits 3mm shaft)/ set screw
3022T	Fuel canisters (black) (2)/ screw pin	3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel
022R	Fuel canisters (blue) (2)/ screw pin		(fits 3mm shaft)/ set screw
3022	Fuel canisters (red) (2)/ screw pin	3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel
022X	Fuel canisters (white) (2)/ screw pin		(fits 3mm shaft)/ set screw
022A	Fuel canisters (yellow) (2)/ screw pin	3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel
023	Jack (1)/ 2x8 BCS (1)		(fits 3mm shaft)/ set screw
023T	Jack (black) (1)/ 2x8 BCS (1)	3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened stee
122	Shovel/ axe/ accessory mount/ mounting hardware		(fits 3mm shaft)/ set screw
121X	Traction boards, blue/ mounting hardware	3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel
3121G	Traction boards, green/ mounting hardware	6745	(fits 3mm shaft)/ set screw
3121A	Traction boards, yellow/ mounting hardware	6745 8052	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
3121	Traction boards/ mounting hardware		Spur gear, 39-tooth (32-pitch)
	Shock Oil	8053	Spur gear, 45-tooth (32-pitch)
5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)		Steering Components
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)	8232	Caster blocks (portal drive), left & right
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)	8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and righ
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)	8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), lef
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)		and right
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)	8232G	Caster blocks, 6061-T6 aluminum (green-anodized), left and rig
037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)	8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right
029	Shock oil bottle (60cc) (for mixing shock oil)	2072X	Gear set, metal (for 2070, 2075 servos)
038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &	2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
	80 wt premium shock oils with spinning carousel rack)	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
038	Spinning carousel rack	5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer
	Shocks (GTS)	0075	adjustment shims; 3.5mm (2), 1.17mm (2)
000:		8275	Rod end set, complete (standard (10), angled 10-degrees (8), offse
266A	Body, GTS shock (aluminum, blue-anodized) (1)	9276	(4)) Pod ends (10)
266G	Body, GTS shock (aluminum, green-anodized) (1)	8276 8277	Rod ends (10)
266R	Body, GTS shock (aluminum, red-anodized) (1)	8277 2742	Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6)
266 266Y	Body, GTS shock (aluminum, silver-anodized) (1)	2742 8278	
266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)	8278 8247X	Rod ends, offset (4) Serve horn, steering, metal/3v14 BCS (1)
264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/	8247X 2075R	Servo horn, steering, metal/ 3x14 BCS (1) Servo digital high-speed, metal gear (hall hearing), waterproof
274	bottom cap (2)/ upper retainer (2)/ lower retainer (2))	2075R 2250	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 300 coreless, metal gear (ball bearin
274 475	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	2230	waterproof
475 261	Multi-tool (plastic) Piston, damper (red) (4)(a cline (8)	2255	Servo, digital high-torque 400 brushless, metal gear (ball
261 262	Piston, damper (red) (4)/ e-clips (8) Rebuild kit TRY-4® shocks (x-rings pistons bushings a		bearing), waterproof
202	Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters)	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
	onpo, rou onuo, and navor miniciaj	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls
263	Shock shaft 3x47mm (GTS) (2)		captured (4)
	Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)		
263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)	8246	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)
263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with	8246 8243	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) Suspension link, front, 5x100mm (lower) (steel) (2)
263T 260X	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2)		
263T 260X	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with	8243	Suspension link, front, 5x100mm (lower) (steel) (2)
263T 260X 260A	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, blue-anodized (assembled with spring retainers)	8243 8244	Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
2263T 2260X 3260A 3260G	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, blue-anodized (assembled with spring retainers) (2) Shocks, GTS, green-anodized (assembled with spring retainers) (2)	8243 8244 8245	Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) SUSPENSION LINEAUE
263T 260X 260A 260G	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, blue-anodized (assembled with spring retainers) (2) Shocks, GTS, green-anodized (assembled with spring retainers) (2) Shocks, GTS, red-anodized (assembled with spring retainers)	8243 8244	Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) SUSPENSION LINE (P. L.) Chassis conversion kit, TRX-4® (long to short wheelbase)
263T 260X 260A 260G	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, blue-anodized (assembled with spring retainers) (2) Shocks, GTS, green-anodized (assembled with spring retainers) (2) Shocks, GTS, red-anodized (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers)	8243 8244 8245	Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) SISTEMS OF LINE (LIP) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inn
2263 2263T 2260X 2260A 2260G 2260G	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, blue-anodized (assembled with spring retainers) (2) Shocks, GTS, green-anodized (assembled with spring retainers) (2) Shocks, GTS, red-anodized (assembled with spring retainers)	8243 8244 8245 8058	Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inn fenders, short female half shaft, battery tray, 3x8mm FCS (4))
263T 260X 260A 260G	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, blue-anodized (assembled with spring retainers) (2) Shocks, GTS, green-anodized (assembled with spring retainers) (2) Shocks, GTS, red-anodized (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers)	8243 8244 8245	Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) SISTEMS OF LINE (LORGING STEEL) Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inr

Page 6	TRX-4® Chevrolet® K10 High Trail Edition™: TQi™ Tra	xxas Lin	k™ Enabled 2.4GHz Radio (Model 92056-4) Parts List
8274 5355	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)
	adjustment shims; 3.5mm (2), 1.17mm (2)	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset	8269G	anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/
8276	(4)) Rod ends (10)	0209G	3x10 screw pin (4)
8277	Rod ends, angled 10-degrees (8)	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
2742	Rod ends, long (6)/ hollow ball connectors (6)		3x10 screw pin (4)
8278 5529	Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	8165	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
8243	captured (4) Suspension link, front, 5x100mm (lower) (steel) (2)	8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
8244	Suspension link, front, 5x63mm (upper) (steel) (2)	8173	Wheels, 1.9", Method Race Wheels® 105 Beadlock (black
8248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)	8173A	chrome, beadlock) (beadlock rings sold separately) Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)		gray, beadlock) (beadlock rings sold separately)
	Team Traxxas Items	8171	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock
2514 6160X	Decal sheet, racing sponsors DVD, Maxx® Power! Full Throttle Action (sleeve)	8171A	rings sold separately) (for use with TRX-4 Long Arm Lift Kit) Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	0171A	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
9909	Traxxas® racing banner, red & black (3x7 feet)	8180	Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift
	Tires & Wheels	0074	Kit)
8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)	8271 8271X	Wheels, TRX-4® 1.9 (2) Wheels, TRX-4® 1.9 (satin beadlock) (2)
8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)	8178	Wheels, TRX-4® Sport 1.9 (2)
8169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)	8268	Wheels, TRX-4® Tactical 1.9 (2)
8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)		Transmission Components
8169G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)	8283	Cable, T-lock (front)
8168G 8169R	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)	8284	Cable, T-lock (front) Cable, T-lock (rear)
8168R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)	9283	Cable, T-lock, rear (185mm)
8169	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)	8195	Differential, locking, front and rear (assembled) (includes T-Lock
8168	Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48)		cables and servos)
8164	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A	8289 8293X	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
0470	extended thread stub axle)	02937	Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5))
8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)	8291	Gearbox housing (includes main housing, front housing, & cover)
8164X	Center caps, wheel (chrome) (front (2), rear (2)) (requires #8255A	8285	Gears, transfer case (3)
	extended stub axle)	5041	Grease, premium high performance (20cc)
1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)	8292 8290X	Input shaft/ output shaft (transmission) Motor mount plate, 6061-T6 aluminum (blue-anodized)
1747R 1747G	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
1747T	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)	8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)	8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
8174	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
8182	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock	8294	Output gear, high range, 24T (metal)
	1.9" satin black chrome, blue beadlock style wheels, Canyon	8286	Output shafts (transfer case), front & rear
8166	Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon	8290 8249	Plate, motor/ upper spur gear cover Slipper eliminator plate
0100	Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires	8296	Transmission gears, single speed, metal
	#8255A extended thread stub axle)	8196	Two speed conversion kit
8177	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires		Traxxas Tools
	#8255A extended thread stub axle)	3433X	Body reamer (aluminum handle)
8166X	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon	3433	Body reamer (plastic handle)
	Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires	3436	Cap, body reamer
8183X	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" classic chrome wheels,	3432 3431	Scissors, curved tip Scissors, straight tip
01037	Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
0404	(requires #8255A extended thread stub axle)		premium handle (medium), travel pouch, hex drivers (straight:
8184	Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2),		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
	rear (2)) (requires #8255A extended thread stub axle)	8720	Speed bit handle, large (overmolded)
8273	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon	8721	Speed bit handle, medium (one piece)
0272V	Trail 4.6x1.9" tires) (2)	8722	Speed bit handle, premium (rubber overmold)
8272X	Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
8272	Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
0470	Trail 4.6x1.9" tires) (2)		3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,
8179	Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)	8711	8.0mm), 1/4" drive Speed Bit Master Set, hey driver, 7-piece straight and hall end
8172	Tires and wheels, assembled (Method 105 2.2™ black chrome	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers
	beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
0404	left, 1 right) (for use with TRX-4 Long Arm Lift Kit)	0740	2.5mm, 3.0mm), 1/4" drive
8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8270	Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
8170	Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4	07464	drive
8269	Long-Arm Lift Kit) Wheel huhs 12mm hex (2)/ stuh axle pins (2) (steel)	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
0209	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)		3.0mm) 1/4" drive

Page 7 TRX-4® Chevrolet® K10 High Trail Edition™: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92056-4) Parts List

8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

TRX-	\mathbb{R}	raxx	®
------	--------------	------	---

	111A-4© 11 dAA©
8889	Bearing retainers, inner (2)/ outer (2)
8890	Drive wheel (1)
8885	Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right))
8888	Spring (4)
8887	Stub axle (1)
8886	Stub axle nut (4)
8891	Tension wheels (6)/ road wheels (4)
8881	Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
8882	Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
8883	Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
8884	Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)
8880	Traxx®, TRX-4® (4) (complete set, front & rear)
8895	Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1)
8896	Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM