



E-Revo VXL Brushless (Model 86086-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5101	Ball bearings, blue rubber sealed (12x21x5mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
5180	Ball bearings, blue rubber sealed (6x13x5mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
8615	Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (1)
8614	Body posts, clipless, front & rear (1 each)
8613	Body support/ 3x12mm CS (4)
8611	Body, E-Revo (clear, requires painting)/window, grill, lights decal sheet
8611G	Body, E-Revo, green/ window, grill, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
8611A	Body, E-Revo, orange/ window, grill, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
2514	Decal sheet, racing sponsors
9950	Official Team Traxxas racing decal set (flag logo/ 6-color)
8617	Skid plate, roof (body)/ 3x12mm CS (4)
5185	Tires, rubber (2) (fits Traxxas wheelie bar wheels)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
5473	Wheelie bar mount (1)(fits 1/10 scale Revo trucks)
5472	Wheelie bar, assembled (fits all 1/10th scale Revo trucks)
4976	Wheels (4)/ Axles (2), for wheelie bar
5413	Wing mount, center / wing washers (for Revo)
8616	Wing mounts, low profile
5446	Wing, Revo (black)/ decal sheet
5446G	Wing, Revo (Exo-Carbon finish)/ decal sheet
5412	Wing, Revo (white)/ decal sheet

Bumpers & Skidplates

5335X	Bumpers, front and rear (black chrome)
5315	Guards, steering servo (2)
8637	Skid plate set, front/ skid plate, rear/ 3x10 BCS (6)/ 3x30 BCS (1) (fits #8629 & 8630 bulkheads)
5637X	Skidplate, transmission, nylon (black)/ cover

Chassis & Attachments

8615	Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (1)
5624	Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)
5323R	Bulkhead tie bars, front & rear (red-anodized aluminum)
8630	Bulkhead, front (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis)
8629	Bulkhead, rear (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis)
8620	Chassis supports, front & rear/ 3x12mm BCS (4)/ 3x15mm CS (4)/ 4x14mm BCS (1)
8622	Chassis, E-Revo (requires #8629 & 8630 bulkheads)
5627	Door, battery compartment (2) (fits right or left side)
5315	Guards, steering servo (2)
5629	Retainer clip, battery (1)/ front clip (1) /rear clip (1)/ foam spacer (1) (for one battery compartment)
5625	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
5317	Shock mounts (front & rear)/ wire clip (1)/ chassis wire clips (4)/ 3x32mm CS (4)/ 3x6mm BCS (1)
8637	Skid plate set, front/ skid plate, rear/ 3x10 BCS (6)/ 3x30 BCS (1) (fits #8629 & 8630 bulkheads)
5637X	Skidplate, transmission, nylon (black)/ cover
5185	Tires, rubber (2) (fits Traxxas wheelie bar wheels)
5628	Vent, battery compartment (includes latch) (1 pair, fits left or right side)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
5473	Wheelie bar mount (1)(fits 1/10 scale Revo trucks)
5472	Wheelie bar, assembled (fits all 1/10th scale Revo trucks)
4976	Wheels (4)/ axles (2), for Maxx wheelie bar

Cush Drive Components

6465	Cush drive key/ pin/ elastomer damper
6487X	Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6494X	Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
7793X	Housing, cush drive (front & rear halves)
6447	Spur gear, 46-tooth (1.0 metric pitch)
6448	Spur gear, 50-tooth (1.0 metric pitch)
6449	Spur gear, 54-tooth (1.0 metric pitch)

Differential Components

5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
8681X	Carrier, differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ spacers (4)/ 12.2x18x0.5 MW
8681	Carrier, differential (heavy duty)/ x-ring gaskets (2)/ ring gear gasket/ spacers (4)/ 12.2x18x0.5 PTW
8680	Differential gasket/ x-rings (2)/ 12.2x18x0.5 MW (1)/ 12.2x18x0.5 PTW (1)
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
8682	Gear set, differential (spider gears (4), spider gear shaft (2))
5130	Oil, differential (100K weight) (.7 oz (20cc))
5135	Oil, differential (10K weight)
5040	Oil, differential (20M weight) (standard)
5136	Oil, differential (30K weight)
5137	Oil, differential (50K weight)
8684	Output gear, center differential, hardened steel (2)
8683	Output gears, differential, hardened steel (2)
8679	Ring gear, differential/ pinion gear, differential

Driveline Components

8635	Axle carriers, left & right (1 each) (use with 8x16mm & 17x26mm ball bearings)/ dust boot retainers (4)
8652	Drive cup, machined steel (2)/ 4x17mm screw pins (2)
8650	Driveshaft, steel constant-velocity (heavy duty, shaft only, 122.5mm)
5150	E-clips, 1.5mm (24)
8655	Half shafts, center (internal splined (2)/ external splined (2)) (plastic parts only)
8651	Rebuild kit, driveshaft (cross pin (2)/ 16mm pin (2)) (metal parts for 2 driveshafts)
5145	Screw pin, 4x15mm (6)
8653	Stub axle
5452	U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm cross pin (4)/ e-clips (20)) (metal parts for 2 driveshafts)
8654	Wheel hubs, splined, 17mm (blue-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
8654G	Wheel hubs, splined, 17mm (green-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
8654R	Wheel hubs, splined, 17mm (red-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758R	Wheel nuts, splined, 17mm, serrated (red-anodized) (4)
8658	Yokes, transmission (2)/ 4x15mm screw pins (2)

Front Suspension

8635	Axle carriers, left & right (1 each) (use with 8x16mm & 17x26mm ball bearings)/ dust boot retainers (4)
5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)
5323R	Bulkhead tie bars, front & rear (red-anodized aluminum)
8630	Bulkhead, front (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis)
5134	Caster spacers (4)/ shims (4)
5378X	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933	Pivot balls (4)/ pivot ball cap bushings (4)
4933X	Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)
8618	Push rod (steel) (assembled with rod ends) (2)
5354X	Rocker arm post (aluminum) (4)
5354	Rocker arm post (steel) (2)
5358	Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
8647	Rod ends, heavy duty (push rod) (8) (assembled with hollow balls)
8646	Rod ends, heavy duty (toe links) (8) (assembled with hollow balls)
8632	Suspension arms, front (left), heavy duty (upper (1)/ lower (1))
8631	Suspension arms, front (right), heavy duty (upper (1)/ lower (1))
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
8638	Toe link, 5.0mm steel (front or rear) (2)

Hardware

5150	E-clips, 1.5mm (24)
5477	Flat wrench, 5mm (blue-anodized aluminum)
5478	Flat wrench, 8mm (blue-anodized aluminum)
3980	Glow plug wrench (universal wrench)
2586	Head screws, 3x15mm cap-head machine (hex drive) (6) (TRX 2.5)
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball
5475	Multi-tool (plastic)
5144	Screw pin, 2.5x18mm (6)
5145	Screw pin, 4x15mm (6)
3236	Screws, 2.5x12mm cap-head machine (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm cap-head machine (6) (no washer)
2551	Screws, 3x10mm countersunk machine (6) (hex drive)
5282	Screws, 3x12mm button-head machine (6) (starter attachment screws with Threadlock)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2553	Screws, 3x15mm countersunk machine (6) (hex drive)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
3971	Screws, 3x35mm cap-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3936	Screws, 4x10mm button-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
3938	Screws, 4x14mm button-head machine (hex drive) (6)
3929	Screws, 4x18mm button-head machine (hex drive) (6)
3939	Screws, 4x6mm button-head machine (hex drive) (with threadlock) (6)
4897	Screws, set (grub) 4mm (6) (with threadlock)

Motors & Electronics

2072A	Gear set (for 2070, 2075 servos)
2072R	Gear set, metal, high speed (for 2070, 2075 servos)
8661	Motor mount hinge post/ 5x25mm BCS (1)/ 4x16mm CS with split and flat washer (1)
5660	Motor mount, finned aluminum
3481	Motor, 2200Kv 75mm, brushless (with 6.5mm gold-plated connectors & high-efficiency heatsink)
8690	Plate, motor
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
3480	Velineon VXL-6s Brushless Power System, waterproof (includes VXL-6s ESC and 2200Kv, 75mm motor)
3485	Velineon VXL-6s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Radio System, Batteries & Chargers

2872X	5000mAh 11.1v 3-Cell 25C LiPo Battery
2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
2976	AC to DC converter, 40W
2938X	Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports)
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
5526R	Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943	Battery charge indicators (green (4), blue (4), grey (4))
6546	Battery door, TQi transmitter (replacement for #6528, 6529, 6530 transmitters)
2914	Battery, Power Cell AA Alkaline (4)
2991	Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2971	Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
5632	Chassis brace, rear (fits E-Revo / Summit)
6525	Communication link, telemetry expander
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)

2072A	Gear set (for 2070, 2075 servos)
2072R	Gear set, metal, high speed (for 2070, 2075 servos)
6556	Mount, telemetry expander (fits XO-1, E-Revo*, Summit*, all Maxx trucks, Revo 3.3, Slayer Pro 4X4) (*requires rear chassis brace #5632)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6521	Sensor, temperature and voltage (long)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6550	Telemetry expander, TQi radio system
6551	Telemetry GPS module, TQi radio system
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6528	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link Wireless Module

Ready-To-Race Model

86086-4	E-Revo VXL Brushless: 1/10 Scale 4WD Brushless Electric Monster Truck with TQi 2.4GHz Traxxas Link Enabled Radio System and Traxxas Stability Management (TSM)
---------	--

Rear Suspension

8635	Axle carriers, left & right (1 each) (use with 8x16mm & 17x26mm ball bearings)/ dust boot retainers (4)
5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)
5323R	Bulkhead tie bars, front & rear (red-anodized aluminum)
8629	Bulkhead, rear (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis)
5378X	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933	Pivot balls (4)/ pivot ball cap bushings (4)
4933X	Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)
8618	Push rod (steel) (assembled with rod ends) (2)
5354X	Rocker arm post (aluminum) (4)
5354	Rocker arm post (steel) (2)
5358	Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
8647	Rod ends, heavy duty (push rod) (8) (assembled with hollow balls)
8646	Rod ends, heavy duty (toe links) (8) (assembled with hollow balls)
8634	Suspension arms, rear (left), heavy duty, adjustable wheelbase (upper (1)/ lower (1))
8633	Suspension arms, rear (right), heavy duty, adjustable wheelbase (upper (1)/ lower (1))
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2))
8638	Toe link, 5.0mm steel (front or rear) (2)

Shocks (GTR)

5466X	Body, GTR shock (hard-anodized, PTFE-coated aluminum) (1)
5465	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)
5462	Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
5469	Rod ends (GTR shocks) (6)
5463	Shaft, GTR shock (2) (stainless)
5463T	Shaft, GTR shock, TiN-coated (2)
5460	Shocks, GTR aluminum (assembled) (2) (without springs)
5460A	Shocks, GTR aluminum, blue-anodized (fully assembled w/o springs) (4)
5460R	Shocks, GTR aluminum, red-anodized (fully assembled w/o springs) (4)
5460X	Shocks, GTR hard-anodized, PTFE-coated aluminum bodies with TiN shafts (fully assembled w/o springs) (4)
5461	Variable damping kit, GTR shocks (includes #1, #2, #3 pistons and stainless steel valves)

Springs

5435	Spring, shock (red) (GTR) (2.6 rate yellow) (1 pair)
5436	Spring, shock (red) (GTR) (2.9 rate white) (1 pair)
5437	Spring, shock (red) (GTR) (3.2 rate orange) (1 pair)
5438	Spring, shock (red) (GTR) (3.5 rate green) (1 pair)
5439	Spring, shock (red) (GTR) (3.8 rate gold) (1 pair)
5440	Spring, shock (red) (GTR) (4.1 rate tan) (1 pair)
5441	Spring, shock (red) (GTR) (4.4 rate black) (1 pair)
5442	Spring, shock (red) (GTR) (4.9 rate silver) (std. front 120mm) (1 pair)
5444	Spring, shock (red) (GTR) (5.9 rate blue) (std. rear 120mm) (1 pair)
5445	Spring, shock (red) (GTR) (6.4 rate purple) (1 pair)
5443	Spring, shock red (GTR) (5.4 rate pink) (1 pair)

Spur Gears & Pinion Gears

6484X	Gear, 11-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6485X	Gear, 12-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6486X	Gear, 13-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6488X	Gear, 14-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6487X	Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6489X	Gear, 16-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6490X	Gear, 17-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6491X	Gear, 18-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6494X	Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6447	Spur gear, 46-tooth (1.0 metric pitch)
6447X	Spur gear, 46-tooth, steel (1.0 metric pitch)
6448	Spur gear, 50-tooth (1.0 metric pitch)
6448X	Spur gear, 50-tooth, steel (1.0 metric pitch)
6449	Spur gear, 54-tooth (1.0 metric pitch)
6449X	Spur gear, 54-tooth, steel (1.0 metric pitch)

Steering Components

2072A	Gear set (for 2070, 2075 servos)
2072R	Gear set, metal, high speed (for 2070, 2075 servos)
5355X	Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5343X	Mount, steering arm/ steering stops (2) (lower hinge pin retainer) (includes standard and maximum throw steering stops)
5469	Rod ends (GTR shocks) (6)
8646	Rod ends, heavy duty (toe links) (8) (assembled with hollow balls)
5349	Rod ends, small, with hollow balls (6) (for Revo steering linkage)
5345X	Servo horns, steering and throttle (for non-Traxxas servos (Hitec, JR, KO, Airtronics))
5345R	Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5344X	Servo saver spring, heavy duty (for use with metal-gear servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
8638	Toe link, 5.0mm steel (front or rear) (2)

Suspension Linkage

5355X	Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
8618	Push rod (steel) (assembled with rod ends) (2)
5469	Rod ends (GTR shocks) (6)
8646	Rod ends, heavy duty (toe links) (8) (assembled with hollow balls)
5345R	Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
8638	Toe link, 5.0mm steel (front or rear) (2)

Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas racing decal set (flag logo/ 6-color)
9909	Traxxas racing banner, red & black (3x7 feet)

Tires & Wheels

8674	Tires & wheels, assembled, glued (black 3.8" wheels, paddle tires, foam inserts) (2) (TSM rated)
8672	Tires & wheels, assembled, glued (black wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated)
8672G	Tires & wheels, assembled, glued (green wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated)
8672A	Tires & wheels, assembled, glued (orange wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated)
4983A	Tires & wheels, assembled, glued (SS (Split Spoke) black chrome wheels, Maxx tires (6.3" outer diameter), foam inserts) (2) (fits Maxx/Revo series) (TSM rated)
5670	Tires, Canyon AT 3.8" (2)/ foam inserts (2)
4973	Tires, Maxx 3.8" (6.3" outer diameter (160mm)) (2) (fits Revo/Maxx series)
5171	Tires, Maxx Chevron 3.8" (2) (fits Revo/Maxx series)
8673	Tires, paddle 3.8" (2)/ foam inserts (2)
5375	Tires, Response Pro 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
5471	Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
5470	Tires, SportTraxx racing 3.8" (soft compound, directional and asymmetrical tread design)/ foam inserts (2)
8670	Tires, Talon EXT 3.8" (2)/ foam inserts (2)
8654	Wheel hubs, splined, 17mm (blue-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
8654G	Wheel hubs, splined, 17mm (green-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
8654R	Wheel hubs, splined, 17mm (red-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758R	Wheel nuts, splined, 17mm, serrated (red-anodized) (4)
8671	Wheels, 3.8" (black) (2) (17mm splined)
8671G	Wheels, 3.8" (green) (2) (17mm splined)
8671A	Wheels, 3.8" (orange) (2) (17mm splined)

Transmission Components

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
8681X	Carrier, differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ spacers (4)/ 12.2x18x0.5 MW
8677	Cover, gear/ 3x12mm CS (1)
6465	Cush drive key/ pin/ elastomer damper
8682	Gear set, differential (spider gears (4), spider gear shaft (2))
8691	Gearbox halves (front & rear)/ idler gear shaft
5041	Grease, premium high performance (20cc)
7793X	Housing, cush drive (front & rear halves)
8692	Input shaft/ idler gear
8661	Motor mount hinge post/ 5x25mm BCS (1)/ 4x16mm CS with split and flat washer (1)
5660	Motor mount, finned aluminum
8685	Output gear, 36-tooth, metal
8684	Output gear, center differential, hardened steel (2)
8690	Plate, motor
3965	Screws, 2.5x8mm cap-head machine (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
1647	Silicone grease

Turnbuckles & Threaded Rods

5477	Flat wrench, 5mm (blue-anodized aluminum)
5341	Linkage, steering (Revo 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
8618	Push rod (steel) (assembled with rod ends) (2)
8647	Rod ends, heavy duty (push rod) (8) (assembled with hollow balls)
8638	Toe link, 5.0mm steel (front or rear) (2)