



## TRX-6™ Mercedes-Benz® G 63® AMG 6X6 (Model 88096-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

### Axle Components

8241	Axle housing, front
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)
8837	Axle housing, rear (TRX-6™)
8227	Axle mount set (complete) (front & rear) (for suspension links)
8836	Axle mount set (rear) (for suspension links)
8228	Axle shaft, front (left)/ drive pin/ cross pin
8229	Axle shaft, front (right)/ drive pin/ cross pin
<b>8060</b>	<b>Axle shaft, front, heavy duty (left &amp; right) (requires #8064 front portal drive input gear)</b>
<b>8062</b>	<b>Axle shaft, front, heavy duty (left &amp; right)/ portal drive input gear (machined) (2) (assembled)</b>
8230	Axle shaft, rear (left)
8231	Axle shaft, rear (right)
<b>8061</b>	<b>Axle shaft, rear, heavy duty (left &amp; right)/ portal drive input gear, rear (machined)</b>
<b>8063</b>	<b>Axle, rear, heavy duty (left &amp; right) (requires #8065 rear portal drive input gear)</b>
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)
8256	Portal drive axle mount, rear (left & right)
<b>8256X</b>	<b>Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4)</b>
<b>8256A</b>	<b>Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-anodized) (left and right)/ 2.5x16 CS (4)</b>
<b>8256G</b>	<b>Portal drive axle mount, rear, 6061-T6 aluminum (green-anodized) (left and right)/ 2.5x16 CS (4)</b>
<b>8256R</b>	<b>Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) (left and right)/ 2.5x16 CS (4)</b>
8252	Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)
8253	Portal drive housing, inner, rear (left or right) (2)
8251	Portal drive housing, outer (front or rear) (2)
<b>8064</b>	<b>Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft)</b>
8257	Portal drive input gear, front/ drive pin/ cross pin
8259	Portal drive input gear, rear
<b>8065</b>	<b>Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle)</b>
8258	Portal drive output gear, front or rear
<b>8252X</b>	<b>Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2)</b>
<b>8252A</b>	<b>Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 3x12 BCS (2)</b>
<b>8252G</b>	<b>Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 3x12 BCS (2)</b>
<b>8252R</b>	<b>Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2)</b>
<b>8253X</b>	<b>Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2)</b>
<b>8253A</b>	<b>Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (2)</b>
<b>8253G</b>	<b>Portal housings, inner (rear), 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (2)</b>
<b>8253R</b>	<b>Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2)</b>
<b>8251X</b>	<b>Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12)</b>
<b>8251A</b>	<b>Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12)</b>
<b>8251G</b>	<b>Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12)</b>
<b>8251R</b>	<b>Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12)</b>
8255A	Stub axle, extended (portal drive) (2)
<b>8267</b>	<b>Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing)</b>

### Bearings & Bushings

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5104A	Ball bearings, black rubber sealed (4x10x4mm) (2)
5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
5114A	Ball bearings, black rubber sealed (5x8x2.5mm) (2)
5117A	Ball bearings, black rubber sealed (6x12x4mm) (2)
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
5103A	Ball bearings, black rubber sealed (7x14x5mm) (2)

### Body (Mercedes-Benz G 63)

<b>8825</b>	<b>Body, Mercedes-Benz® G 63® (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door handles, &amp; windshield wipers)</b>
8825R	Body, Mercedes-Benz® G 63®, complete (gloss black metallic) (includes grille, side mirrors, door handles, & windshield wipers)
8825X	Body, Mercedes-Benz® G 63®, complete (matte graphite metallic) (includes grille, side mirrors, door handles, & windshield wipers)
8826	Decals, Mercedes-Benz® G 63®
8813X	Grille, Mercedes-Benz® G 500® 4x4²/ grille mount/ grille insert/ headlight lens (2)/ headlight reflector (2)/ reflector lens (2)/ bumperette front (2)/ bumperette mount (2)/ turn signal housing (2)/ turn signal housing retainer (2)/ turn signal len
8827	Grille, Mercedes-Benz® G 63®/ roll bar/ mounts, left & right/ 2.6x8 BCS (self-tapping) (2)/ 2.5x10 CS (4) (fits #8825 body)
8817	Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-tapping) (3)
8822	Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS (4)
8816X	Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS (self-tapping) (2)
8815X	Side trim, left & right (black)/ side trim retainers (8)/ door handles, left, right, & rear/ door handle mount/ 1.6x5 BCS (self-tapping) (42)
8814X	Tail light lens (2)/ tail light housing (2)/ tail light housing mount (2)/ reverse lens (2)/ 1.6x5 BCS (4) (left & right)

### Body Accessories

<b>1926</b>	<b>Antenna caps, vinyl (2)/ antenna spool</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1834	Body clips (12) (standard size)
<b>1834A</b>	<b>Body clips, black (12) (standard size)</b>
<b>3934</b>	<b>Body clips, heavy duty (12)</b>
<b>3934A</b>	<b>Body clips, heavy duty (black) (12)</b>
<b>8215</b>	<b>Body mounts &amp; posts, front &amp; rear (complete set)</b>
8115	Body posts, front & rear
4915	Body washers, foam adhesive (10)
<b>2514</b>	<b>Decal sheet, racing sponsors</b>
<b>8081</b>	<b>Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080 narrow inner fenders)</b>
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)
8828	Fenders, inner (narrow), rear (2)/ rock light covers (6)/ 2.5x6 CS (8)
<b>8072</b>	<b>Fenders, inner, front &amp; rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)</b>
<b>9950</b>	<b>Official Team Traxxas® racing decal set (flag logo/ 6-color)</b>

### Bumpers & Skidplates

<b>8234</b>	<b>Bumper D-Rings, grey (front or rear)/ 2x12 CS (4)</b>
<b>8234R</b>	<b>Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)</b>
<b>8067</b>	<b>Bumper mounts, front &amp; rear</b>
<b>8067X</b>	<b>Bumper mounts, front &amp; rear/ bumper mount, rear (offset)</b>
<b>8237</b>	<b>Bumper mounts, front &amp; rear/ screw pins (4)</b>
<b>8124</b>	<b>Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)</b>
<b>8137</b>	<b>Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)</b>
<b>8235</b>	<b>Bumper, front/ winch</b>
<b>8236</b>	<b>Bumper, rear</b>
<b>8125</b>	<b>Bumper, rear (176mm wide)</b>
<b>8136</b>	<b>Bumper, rear (chrome)/ bumper mount/ 3x8 BCS (2)</b>
8834	Bumper, rear (without trailer hitch receiver)
8820	Bumpers, front & rear
8830	Chassis crossmember (intermediate (1) & rear (1))/ shock mounts (left & right)
8835	Skid plates, Mercedes-Benz® G 63®, front & rear (satin-plated finish)/ 3x10 CCS (4)/ 3x10 BCS (4)

### Chassis & Attachments

8223	Battery plate/ battery strap/ 3x8 flat-head screws (4) (requires #8072 inner fenders)
8215	Body mounts & posts, front & rear (complete set)
8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)
8830	Chassis crossmember (intermediate (1) & rear (1))/ shock mounts (left & right)
8829	Chassis rails, 590mm (steel) (left & right)
8818	Exhaust pipes (left & right)
<b>8081</b>	<b>Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080 narrow inner fenders)</b>

8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)
8828	Fenders, inner (narrow), rear (2)/ rock light covers (6)/ 2.5x6 CS (8)
8218	Floor pans, left & right
8819	Rock sliders/ rock slider caps (left & right)
<b>8225</b>	<b>Seal kit, receiver box (includes o-ring, seals, and silicone grease)</b>
8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
8239	Servo mount, steering/ chassis crossmember
8216	Shock towers, front & rear (left & right)
8226	Tray, battery

### Differential Components

8281	Carrier, differential/ differential slider/ T-Lock fork
<b>8280X</b>	<b>Differential cover, front or rear (chrome-plated)</b>
<b>8280</b>	<b>Differential cover, front or rear (grey)</b>
<b>8280R</b>	<b>Differential cover, front or rear (red)</b>
8846	Differential cover, TRX-6™ intermediate (black)
8847	Differential cover, TRX-6™ rear (black)/ T-lock fork (grey)
8195	Differential, locking, front and rear (assembled) (includes T-Lock cables and servo)
8282	Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2))
8849	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ center ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1)/ 2.5x6 CS (with threadlock) (1)) (use with TRX-6™ axle configuration)
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
8279	Ring gear, differential/ pinion gear, differential
<b>8279R</b>	<b>Ring gear, differential/ pinion gear, differential (machined)</b>
<b>8287</b>	<b>Ring gear, differential/ pinion gear, differential (overdrive, machined)</b>
<b>8288</b>	<b>Ring gear, differential/ pinion gear, differential (underdrive, machined)</b>
<b>8297</b>	<b>Spool/ differential housing plug/ e-clip</b>

### Driveline Components

8850	Half shafts, center (internal splined, extra short (1)/ external splined, extra short (1)) (plastic parts only)
8250	Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
8255A	Stub axle, extended (portal drive) (2)
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
<b>8269X</b>	<b>Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)</b>
<b>8269A</b>	<b>Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ screw pin (4)</b>
<b>8269G</b>	<b>Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4)</b>
<b>8269R</b>	<b>Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4)</b>

### Hardware

1552	Backplate screws (3x8mm cap-head machine) (6)/ washers (6)/ wrench
<b>1834</b>	<b>Body clips (12) (standard size)</b>
1834A	Body clips, black (12) (standard size)
<b>3934</b>	<b>Body clips, heavy duty (12)</b>
<b>3934A</b>	<b>Body clips, heavy duty (black) (12)</b>
<b>8167X</b>	<b>Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)</b>
<b>5476X</b>	<b>Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball</b>
<b>3647</b>	<b>Nuts, 4mm flanged nylon locking (steel, serrated) (8)</b>
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
<b>1747R</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)</b>
<b>1747G</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)</b>
<b>1747P</b>	<b>Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)</b>
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
8221	Screw pin, 3x10mm (6)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
2523	Screws, 2.5x10mm countersunk machine (hex drive) (6)
3236	Screws, 2.5x12mm cap-head machine (6)
2618	Screws, 2.5x16mm cap-head machine (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
2617	Screws, 2.5x8mm button-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2524	Screws, 2.5x8mm countersunk machine (hex drive) (6)
8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
8167	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
2564	Screws, 2x8mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)

4859	Screws, 3x10mm flat-head machine (hex drive) (4)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
2616	Screws, 3x27mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3933	Screws, 4x16mm button-head machine (hex drive) (6)

### LED Light Accessories

<b>8031</b>	<b>3-in-1 wire harness, LED light kit</b>
<b>8089</b>	<b>4-in-2 wire harness, LED light kit</b>
<b>8897</b>	<b>LED light harness, rock lights, TRX-6™ (requires #8026 for complete rock light set)</b>
8899	LED light set (contains headlights, tail lights, roof lights, and distribution block) (fits #8811 or #8825 body, requires #8028 power supply)
8898	LED light set, complete with power supply (contains headlights, tail lights, roof lights, & distribution block) (fits #8811 or #8825 body)
<b>8028</b>	<b>LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire harness</b>
<b>8026</b>	<b>LED rock light kit, TRX-4® (requires #8028 power supply, #8018, #8072, or #8080 inner fenders, and #8897 for complete rock light set)</b>

### Motors & Electronics

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
<b>2262</b>	<b>BEC, complete (includes receiver box cover and seals)</b>
2064	Gear set (for 2065 waterproof sub-micro servo)
<b>2064X</b>	<b>Gear set, metal (for 2065X waterproof sub-micro servo)</b>
2072X	Gear set, metal (for 2070, 2075 servos)
<b>2252</b>	<b>Gear set, metal (for 2250, 2255 servos)</b>
<b>2072R</b>	<b>Gear set, metal, high speed (for 2070, 2075 servos)</b>
<b>8290X</b>	<b>Motor mount plate, 6061-T6 aluminum (blue-anodized)</b>
<b>8290A</b>	<b>Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)</b>
<b>8290G</b>	<b>Motor mount plate, 6061-T6 aluminum (green-anodized)</b>
<b>8290R</b>	<b>Motor mount plate, 6061-T6 aluminum (red-anodized)</b>
3975R	Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1)
8290	Plate, motor/ upper spur gear cover
<b>2254</b>	<b>Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)</b>
<b>2253</b>	<b>Servo case, aluminum (red-anodized) (middle) (for 2255 servo)</b>
<b>2251</b>	<b>Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)</b>
2063	Servo case/gaskets (for 2065 waterproof sub-micro servo)
<b>2063X</b>	<b>Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)</b>
5669	Servo horn (with built-in spring and hardware) (for Summit locking differential)
8843	Servo horn (with built-in spring and hardware) (for TRX-6™ locking differential)
<b>2075R</b>	<b>Servo, digital high-speed, metal gear (ball bearing), waterproof</b>
<b>2250</b>	<b>Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)</b>
<b>2255</b>	<b>Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo horn recommended for optimal performance)</b>
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2065	Servo, sub-micro, waterproof
<b>2065X</b>	<b>Servo, sub-micro, waterproof, metal gear</b>
3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake)
<b>2261</b>	<b>Y-harness, BEC</b>

### Radio System, Batteries & Chargers

<b>2849X</b>	<b>4000mAh 11.1v 3-Cell 25C LiPo Battery</b>
<b>2872X</b>	<b>5000mAh 11.1v 3-Cell 25C LiPo Battery</b>
<b>2842X</b>	<b>5000mAh 7.4v 2-Cell 25C LiPo Battery</b>
<b>2843X</b>	<b>5800mAh 7.4v 2-Cell 25C LiPo Battery</b>
<b>2869X</b>	<b>7600mAh 7.4v 2-Cell 25C LiPo Battery</b>
<b>2976</b>	<b>AC to DC converter, 40W</b>
<b>2938X</b>	<b>Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
<b>2943</b>	<b>Battery charge indicators (green (4), blue (4), grey (4))</b>
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
<b>8222</b>	<b>Battery strap (for 2200 2-cell and 1400 3-cell LiPo batteries)</b>

2914	Battery, Power Cell AA Alkaline (4)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2994	Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))
2995	Battery/charger completer pack (includes #2970 iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1))
2991	Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))
2262	BEC, complete (includes receiver box cover and seals)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6512	Cover plate, Traxxas Link™ Wireless Module
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2064	Gear set (for 2065 waterproof sub-micro servo)
2064X	Gear set, metal (for 2065X waterproof sub-micro servo)
2072X	Gear set, metal (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2072R	Gear set, metal, high speed (for 2070, 2075 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6561	Mount, telemetry expander
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2063	Servo case/gaskets (for 2065 waterproof sub-micro servo)
2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo horn recommended for optimal performance)
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2065	Servo, sub-micro, waterproof
2065X	Servo, sub-micro, waterproof, metal gear
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module)
6550	Telemetry expander, TQi radio system
6551X	Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link™ Wireless Module
2261	Y-harness, BEC

### Ready-To-Race Model

88096-4	TRX-6™ Scale and Trail™ Crawler with Mercedes-Benz® G 63® AMG Body: 6X6 Electric Trail Truck with TQi Traxxas Link™ Enabled 2.4GHz Radio System
---------	---

### Shocks (GTS)

8266	Body, GTS shock (aluminum, silver-anodized) (1)
8266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)

8266A	Body, GTS shock, aluminum (blue-anodized) (1)
8266G	Body, GTS shock, aluminum (green-anodized) (1)
8266R	Body, GTS shock, aluminum (red-anodized) (1)
8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
5475	Multi-tool (plastic)
8261	Piston, damper (red) (4)/ e-clips (8)
8262	Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends)
8263	Shock shaft, 3x47mm (GTS) (2)
8263T	Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2)
8260A	Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2)
8260G	Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2)
8260R	Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2)
8260	Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
1666	Silicone shock oil (30 wt)

### Slipper Clutch Components

8292	Input shaft/ output shaft (transmission)
8286	Output shafts (transfer case), front & rear
8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1))
8249	Slipper eliminator plate

### Springs

8042	Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)
8043	Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)
8044	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)
8041	Springs, shock (natural finish) (GTS) (0.45 rate) (2)
8040	Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2)
8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)

### Spur Gears & Pinion Gears

6746	Gear, 10-T pinion (32-p) (steel)/ set screw
6747	Gear, 11-T pinion (32-p) (steel)/ set screw
3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
6745	Gear, 9-T pinion (32-p) (steel)/ set screw
8052	Spur gear, 39-tooth (32-pitch)
8053	Spur gear, 45-tooth (32-pitch)

### Steering Components

8232	Caster blocks (portal drive), left & right/ kingpin bushings (4)
8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right
8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right
8232G	Caster blocks, 6061-T6 aluminum (green-anodized), left and right
8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right
2072X	Gear set, metal (for 2070, 2075 servos)
2072R	Gear set, metal, high speed (for 2070, 2075 servos)
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
8276	Rod ends (10)
8277	Rod ends, angled 10-degrees (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)

8278	Rod ends, offset (4)
8247	Servo horn, steering
8247X	<b>Servo horn, steering, metal/ 3x14 BCS (1)</b>
2075R	<b>Servo, digital high-speed, metal gear (ball bearing), waterproof</b>
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
8246	Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)
8243	Suspension link, front, 5x100mm (lower) (steel) (2)
8244	Suspension link, front, 5x63mm (upper) (steel) (2)
8245	<b>Suspension link, rear, 5x121mm (upper or lower) (steel) (2)</b>

### Suspension Linkage

8274	<b>Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)</b>
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
8276	Rod ends (10)
8277	Rod ends, angled 10-degrees (8)
2742	Rod ends, long (6)/ hollow ball connectors (6)
8278	Rod ends, offset (4)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
8243	Suspension link, front, 5x100mm (lower) (steel) (2)
8244	Suspension link, front, 5x63mm (upper) (steel) (2)
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
8831	Suspension links, rear lower, 5x95mm (2) (steel)
8832	Suspension links, rear upper, 5x76mm (2) (steel)

### Team Traxxas Items

2514	<b>Decal sheet, racing sponsors</b>
6160X	<b>DVD, Maxx® Power! Full Throttle Action (sleeve)</b>
9950	<b>Official Team Traxxas® racing decal set (flag logo/ 6-color)</b>
9909	<b>Traxxas® racing banner, red &amp; black (3x7 feet)</b>

### Tires & Wheels

8169T	<b>Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)</b>
8169X	<b>Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)</b>
8169G	<b>Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)</b>
8169A	<b>Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48)</b>
8169R	<b>Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)</b>
8875	Center caps (2)/ beadlock rings (2) (requires #8255A extended stub axle)
8164	<b>Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle)</b>
8176	<b>Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle)</b>
8174	<b>Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right)</b>
8166	<b>Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 1.9 tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)</b>
8177	<b>Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 1.9 tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)</b>
8874	Tires and wheels, assembled, glued (2.2" black wheels, 2.2" tires) (2)/ center caps (2)/ beadlock rings (2) (requires #8255A extended stub axle)
8273	<b>Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2)</b>
8272X	<b>Tires and wheels, assembled, glued (TRX-4® satin beadlock wheels, Canyon Trail 1.9 tires) (2)</b>
8179	<b>Tires and wheels, assembled, glued (TRX-4® Sport wheels, Canyon Trail 1.9 tires) (2)</b>
8272	<b>Tires and wheels, assembled, glued (TRX-4® wheels, Canyon Trail 1.9 tires) (2)</b>
8270	<b>Tires, Canyon Trail 1.9 (S1 compound)/ foam inserts (2)</b>
8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
8269X	<b>Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)</b>
8269A	<b>Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ screw pin (4)</b>
8269G	<b>Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4)</b>
8269R	<b>Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4)</b>
8165	<b>Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)</b>
8175	<b>Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)</b>
8173	<b>Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock rings sold separately)</b>

8173A	<b>Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock rings sold separately)</b>
8268	<b>Wheels, Tactical 1.9 (2)</b>
8271	<b>Wheels, TRX-4® 1.9 (2)</b>
8271X	<b>Wheels, TRX-4® 1.9 (satin beadlock) (2)</b>
8178	<b>Wheels, TRX-4® Sport 1.9 (2)</b>

### Transmission Components

8283	Cable, T-lock (front)
8284	Cable, T-lock (rear)
8841	Cable, T-lock (rear) (TRX-6™)
8195	Differential, locking, front and rear (assembled) (includes T-Lock cables and servo)
8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5))
8291	Gearbox housing (includes main housing, front housing, & cover)
8285	Gears, transfer case (3)
5041	Grease, premium high performance (20cc)
8292	Input shaft/ output shaft (transmission)
8290X	<b>Motor mount plate, 6061-T6 aluminum (blue-anodized)</b>
8290A	<b>Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)</b>
8290G	<b>Motor mount plate, 6061-T6 aluminum (green-anodized)</b>
8290R	<b>Motor mount plate, 6061-T6 aluminum (red-anodized)</b>
8849	Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ center ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1)/ 2.5x6 CS (with threadlock) (1)) (use with TRX-6™ axle configuration)
8294	Output gear, high range, 24T (metal)
8286	Output shafts (transfer case), front & rear
8290	Plate, motor/ upper spur gear cover
8249	<b>Slipper eliminator plate</b>
8296	<b>Transmission gears, single speed, metal</b>
8196	Two speed conversion kit

### Traxxas Tools

3433X	<b>Body reamer (aluminum handle)</b>
3433	<b>Body reamer (plastic handle)</b>
3436	<b>Cap, body reamer</b>
3432	<b>Scissors, curved tip</b>
3431	<b>Scissors, straight tip</b>
8712	<b>Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive</b>
8721	<b>Speed bit handle, medium (one piece)</b>
8720	<b>Speed bit handle, premium, large (rubber overmold)</b>
8722	<b>Speed bit handle, premium, medium (rubber overmold)</b>
8710	<b>Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),</b>
8711	<b>Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive</b>
8719	<b>Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive</b>
8716	<b>Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive</b>
8716X	<b>Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive</b>
8715	<b>Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive</b>
8715X	<b>Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive</b>
3415	<b>Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle</b>