

TRX-4® Ford® F-150® High Trail Edition™ (Model 92046-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

| ΙV. | A | HU | Шī | Шi | H | ŝ |
|-----|---|----|----|----|---|---|
| | | | | | | |

| | Axie Components | 5180A 5103A | Ball bearings, black rubber sealed (6x13x5mm) (2) Ball bearings, black rubber sealed (7x14x5mm) (2) |
|---------------------|---|----------------|---|
| 8241 | Axle housing, front | 5.00/1 | Body (1979 Chevrolet® K10 Truck) |
| 8242 | Axle housing, intermediate (TRX-6™) or rear (TRX-4®) | | |
| 8227 | Axle mount set (complete) (front & rear) (for suspension links) | 9226 | Body cage (fits #9212 body) |
| 8228 8229 | Axle shaft, front (left)/ drive pin/ cross pin | 9228 9212 | Body mounts (front & rear)/ 3x10mm BCS (7) (fits #9212 body) |
| 8060 | Axle shaft, front (right)/ drive pin/ cross pin Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear) | 9212 | Body, Chevrolet K10 Truck (1979) (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door handles, windshield wipers, clipless mounting, hardware) |
| 8062 | Axle shaft, front, heavy duty (left & right)/ portal drive input gear, front (machined) (2) (assembled) | 9212X | (requires #9288 inner fenders) Body, Chevrolet K10 Truck (1979), complete, black (painted, |
| 8230 | Axle shaft, rear (left) | | decals applied) (includes grille, side mirrors, door handles, |
| 8231 | Axle shaft, rear (right) | | windshield wipers, front & rear bumpers, clipless mounting) (requires #9288 inner fenders) |
| 8063 8061 | Axle shaft, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear) Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, | 9212R | Body, Chevrolet K10 Truck (1979), complete, red (painted, decals applied) (includes grille, side mirrors, door handles, windshield |
| 0001 | rear (machined) (2) (assembled) | | wipers, front & rear bumpers, clipless mounting) (requires #9288 |
| 8147 | Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) | 6593 | inner fenders) Distribution block, Pro Scale® Advanced Lighting Control |
| 9283 | Cable, T-lock, rear (185mm) | 0595 | System |
| 8233 | Cross pin (2)/ drive pin (2) (to rebuild front axle shafts) | 8134 | Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4)/ |
| 8256 | Portal drive axle mount, rear (left & right) | | headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits |
| 8256X | Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4) | | #8130 or 9212 series bodies) |
| 8256A | Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray- anodized) (left and right) 2.5x16 CS (4) | 8082 | Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer or K10 Truck (1979) (includes mount, |
| 8256G | Portal drive axle mount, rear, 6061-T6 aluminum (green- | 8039 | reverse lights harness, hardware) LED light set (contains headlights, tail lights, side marker lights, |
| 8256R | anodized) (left and right)/ 2.5x16 CS (4) Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) | 8035 | & distribution block) (fits #8130 series bodies, requires #8028 power supply) |
| | (left and right)/ 2.5x16 CS (4) | 8038 | LED light set, complete with power supply (contains headlights, |
| 8252 | Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6) | | tail lights, side marker lights, & distribution block) (fits #8130 |
| 8253 | Portal drive housing, inner, rear (left or right) (2) | | series bodies) |
| 8251 8064 | Portal drive housing, outer (front or rear) (2) Portal drive input gear, front (machined) (left or right) (requires | 9263 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll |
| 0004 | #8060 front axle shaft) | 6592 | bar) Power module, Pro Scale® Advanced Lighting Control System |
| 8257 | Portal drive input gear, front/ drive pin/ cross pin | | (includes mount, communication cables, hardware) |
| 8259 | Portal drive input gear, rear | 6591 | Pro Scale® Advanced Lighting Control System (includes power |
| 8065 | Portal drive input gear, rear (machined) (left or right) (requires | | module & distribution block) |
| 8258 | #8063 rear axle) Portal drive output gear, front or rear | 8038X | Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck (1979), complete with power module (contains headlights, tail |
| 8252X | Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2) | | lights, side marker lights, & distribution block) (fits #8130 or 9212 series bodies) |
| 8252A | Portal housings, inner (front), 6061-T6 aluminum (charcoal gray- anodized) (2)/ 3x12 BCS (2) | 6594 | Receiver communication cable, Pro Scale® Advanced Lighting Control System |
| 8252G | Portal housings, inner (front), 6061-T6 aluminum (green- anodized) (2)/ 3x12 BCS (2) | 9262X | Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 |
| 8252R | Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2) | 9262 | series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS |
| 8253X | Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2) | 8135 | (self-tapping) (4) (fits #9212 or 9230 series bodies) Tail lights, left & right (assembled)/ tail light retainers, left & |
| 8253A | Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2)/ 2.5x10 CS (2) | | right/ side marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) |
| 8253G | Portal housings, inner (rear), 6061-T6 aluminum (green- anodized) (2)/ 2.5x10 CS (2) | | (fits #8130 or 9212 series bodies) Body (1979 Ford® F-150® Truck) |
| 8253R | Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2) | 9233 | Body cage, front & rear (fits #9230 body) |
| 8251X | Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ | 9234 | Body mounts, front & rear (fits #9230 body) |
| 8251A | 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray- | 9230 | Body, Ford F-150 (1979) (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door handles, windebidd winore, cliptose mounting, bardware) (requires #0988 |
| 8251G | anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ | | windshield wipers, clipless mounting, hardware) (requires #9288 inner fenders) (roll bar sold separately; choose #9262 chrome, 9262R black, or 9262X chrome with lights) |
| 8251R | 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ | 9230-BLK | Body, Ford F-150 (1979), complete, black (painted, decals |
| 8255A | 2.5x10 CS (12) Stub axle, extended thread (portal drive) (2) | | applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #9288 |
| 8267 | Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) | | inner fenders) (roll bar sold separately; choose #9262 chrome, |
| | (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) | 9230-BLUE | 9262R black, or 9262X chrome with lights) Body, Ford F-150 (1979), complete, blue (painted, decals applied) |
| | Bearings & Bushings | | (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #9288 inner |
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) | | fenders) (roll bar sold separately; choose #9262 chrome, 9262R |
| | Ball bearings, black rubber sealed (12x18x4mm) (2) | | black, or 9262X chrome with lights) |
| | | | - · |
| 5120A 5104A | Ball bearings, black rubber sealed (4x10x4mm) (2) | 9230- | Body, Ford F-150 (1979), complete, brown (painted, decals |
| 5104A 5115A | Ball bearings, black rubber sealed (5x10x4mm) (2) | 9230- BRWN | applied) (includes grille, side mirrors, door handles, windshield |
| | | | |

Page 2 TRX-4® Ford® F-150® High Trail Edition™: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92046-4) Parts List

| Page 2 | IKA-48 Forde F-1508 High Trail Edition.": Tel." Traxxa |
|--------------|--|
| 6593 | Distribution block, Pro Scale® Advanced Lighting Control |
| 8075 | System Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ |
| 8070 | 1.6x5 BCS (self-tapping) (4) (fits #8010 or 9230 series bodies) Grille, Ford Bronco or F-150/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 or 9230 series |
| 8032 | bodies) Installation kit, Pro Scale® Advanced Lighting Control System, |
| | TRX-4® Ford Bronco (1979) or Chevrolet K10 Truck (1979) (includes mount, reverse lights harness, hardware) |
| 8036 | LED light set (contains headlights, tail lights, side marker lights, and distribution block) (fits #8010 body, requires #8028 power supply) |
| 8035 | LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 body) |
| 8037 | LED lights, high/low switch (for #8035 or #8036 LED light kits) |
| 9263 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) |
| 8073 | Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies) |
| 8073X | Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies) |
| 6592 | Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) |
| 6591 | Pro Scale® Advanced Lighting Control System (includes power module & distribution block) |
| 8035R | Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F- 150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) |
| 6594 | Receiver communication cable, Pro Scale® Advanced Lighting Control System |
| 9262X | Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9262R | Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9262 | Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9231 | Side trim, left & right (chrome)/ LED lens/ 2.6x8mm BCS (14)/ 2.6x10mm BCS (6) (fits #9230 body) |
| 8076 | (fits #8010 series bodies) |
| 9232 | Tailgate panel/ tail light lens (left & right)/ tail light housing (left & right)/ 1.6x10mm BCS (self-tapping) (2) (fits #9230 body) |
| | Body Accessories |
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 1834 | Body Clips (12) (standard size) |
| 1834A | Body clips, black (12) (standard size) |
| 3934 | Body clips, heavy duty (12) |
| 3934A | Body clips, heavy duty (black) (12) |
| 8215 | Body mounts & posts, front & rear (complete set) |
| 9228 | Body mounts (front & rear)/ 3x10mm BCS (7) (fits #9212 body) |
| 8115 4915 | Body posts, front & rear |
| 2514 | Body washers, foam adhesive (10) Decal sheet, racing sponsors |
| 8081 | Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 |
| | narrow inner fenders) |
| 8080 | Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) |
| 8072 | Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) |
| 9288 | Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rock light covers (8) |
| 9950 | Official Team Traxxas® racing decal set(flag logo/ 6-color) |
| | Bumpers & Skidplates |
| 8234 | Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4) |
| 8234R | Bumper D-rings, red (front or rear)/ 2.0x12 CS (4) |
| 8067X | Bumper mounts, front & rear/ bumper mount, rear (offset) |
| 8237 | Bumper mounts, front & rear/ screw pins (4) |
| 8124 | Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1) |
| 8069X | Bumper, front (chrome)/ bumper mount (2)/ 3x10 BCS (2) |
| 8235 | Bumper, front/ winch/ 2.6x8 BCS (1) |
| 8236 | Bumper, rear |
| 8125 | Bumper, rear (176mm wide) |
| 8068 | Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2) |
| 9237 | Extender, skid plate |
| 8066 | Push bar, bumper (chrome) (fits #8069 bumper) |
| 8238 | Skidplate/ lower gear cover |
| | |

| as Link'''' | Enabled 2.4GHz Radio (Model 92046-4) Parts List |
|----------------------|---|
| | Chassis & Attachments |
| 8215 | Body mounts & posts, front & rear (complete set) |
| 8224 | Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 |
| | BCS (5)/ 2.5x8 CS (2) |
| 8058 | Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner |
| | fenders, short female half shaft, battery tray, 3x8mm FCS (4)) |
| 8057 | Chassis conversion kit, TRX-4® (short to long wheelbase) |
| | (includes rear upper & lower suspension links, front & rear |
| 8220 | shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) |
| 9229 | Chassis rails, 480mm (steel) (left & right) |
| 8081 | Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 |
| | narrow inner fenders) |
| 8080 | Fenders, inner (narrow), front & rear (2 each)/ rock light covers |
| | (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) |
| 8072 | Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery |
| | plate/ 3x8 flathead screws (4) |
| 9288 | Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rock |
| 8218 | light covers (8) Floor pans, left & right |
| 8224X | Receiver box cover (for use only with #8224 receiver box & |
| 02247 | #2260 BEC)/ foam pads/ seals/ silicone grease |
| 8219 | Rock sliders, left & right |
| 8225 | Seal kit, receiver box (includes o-ring, seals, and silicone |
| 8240X | grease) Servo mount, 2-speed/ servo mount, T-Lock/ wire clips |
| 8239 | Servo mount, steering/ chassis crossmember |
| 8216 | Shock towers, front & rear (left & right) |
| 8226 | Tray, battery |
| | Differential Components |
| 8281 | Carrier, differential/ differential slider/ T-Lock fork |
| 8280A | Differential cover, front or rear (black) |
| 8280X | Differential cover, front or rear (chrome plated) |
| 8280 8280R | Differential cover, front or rear (grey) |
| 8195 | Differential cover, front or rear (red) Differential, locking, front and rear (assembled) (includes T-Lock |
| 0100 | cables and servos) |
| 8282 | Gear set, differential (output gears (2), spider gears (4), spider gear |
| 8295 | shaft (2)) Output drive, transmission or differential (pin retainer (1)/ drive cup |
| 0200 | (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) |
| | (1) 3x6 BCS with threadlock (1)) |
| 8279 8270D | Ring gear, differential/ pinion gear, differential |
| 8279R 8287 | Ring gear, differential/ pinion gear, differential (machined) Ring gear, differential/ pinion gear, differential (overdrive, |
| 0207 | machined) |
| 8288 | Ring gear, differential/ pinion gear, differential (underdrive, |
| 8297 | machined) Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with |
| 0291 | threadlock) (4) |
| | Driveline Components |
| 9250 | Driveshaft extension kit, center (includes internal splined, xx-long (2), |
| | internal splined, medium (1) and internal splined, short (1)) |
| 8250 | Half shafts, center (internal splined, front (2) & internal splined, rear |
| 00EEA | (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) |
| 8255A 8269 | Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) |
| 8269X | Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ |
| | 3x10 screw pin (4) |
| 8269A | Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- |
| 8269G | anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ |
| | 3x10 screw pin (4) |
| 8269R | Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ |
| | 3x10 screw pin (4) |
| 1 | Hardware |
| 1552 1834 | 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1) Body Clips (12) (standard size) |
| 1834 1834A | Body Clips (12) (standard size) Body clips, black (12) (standard size) |
| 3934 | Body clips, heavy duty (12) |
| 3934A | Body clips, heavy duty (black) (12) |
| 4859 | CS 3x10 flathead (hex drive) |
| 8167X | Hardware kit, stainless steel, beadlock rings (contains stainless |
| 8298 | steel hardware for 4 wheels) Hardware kit, stainless steel, TRX-4® (contains all stainless steel |
| | hardware used on TRX-4®) |
| 8151 | Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all |
| | stainless steel hardware used on TRX-4® High Lift Kit) |

Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit)

2064A

| Page 3 | TRX-4® Ford® F-150® High Trail Edition™: TQi™ Traxxa |
|----------------------|--|
| 5476X | Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball |
| 1747P | Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) |
| 8347 1747R | Nuts, 4mm flanged nylon locking, serrated (black) (10) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) |
| 1747G | Nuts, aluminum, flanged, serrated (4mm) (blue-anoulzed) (4) |
| 1747T | Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) |
| 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) |
| 1985 8221 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Screw pin, 3x10mm (6) |
| 9236 | Screws, 1.6x10mm button-head, self-tapping (hex drive) (6) |
| 2523 | Screws, 2.5x10 countersunk machine (hex drive) (6) |
| 3229 3236 | Screws, 2.5x10mm cap-head machine (hex drive) (6) |
| 3230 2618 | Screws, 2.5x12mm cap-head machine (6) Screws, 2.5x16mm cap-head machine (6) |
| 3215 | Screws, 2.5x6mm cap-head machine (hex drive) (6) |
| 2524 | Screws, 2.5x8 countersunk machine (hex drive) (6) |
| 2617 3965 | Screws, 2.5x8mm button-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6) |
| 8299 | Screws, 2.6x12mm button-head, self-tapping (hex drive) (6) |
| 8167 | Screws, 2x10mm cap-head, self-tapping (hex drive) (10) |
| 2564 | Screws, 2x8mm cap-head machine (hex drive) (6) |
| 2577 2578 | Screws, 3x10mm button-head machine (hex drive) (6) Screws, 3x12mm button-head machine (hex drive) (6) |
| 2579 | Screws, 3x15mm button-head machine (hex drive) (6) |
| 2591 | Screws, 3x23mm button-head machine (hex drive) (6) |
| 2581 | Screws, 3x25mm button-head machine (hex drive) (6) |
| 2616 2582 | Screws, 3x27mm button-head machine (hex drive) (6) Screws, 3x30mm button-head machine (hex drive) (6) |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 2576 | Screws, 3x8mm button-head machine (hex drive) (6) |
| 3931 3933 | Screws, 3x8mm flat-head machine (hex drive) (6) Screws, 4x16mm button-head machine (hex drive) (6) |
| | LED Light Accessories |
| 8031 | 3-in-1 wire harness, LED light kit |
| 8089 | 4-in-2 wire harness, LED light kit |
| 6589 | Distribution block, LED light set |
| 6593 | Distribution block, Pro Scale® Advanced Lighting Control System |
| 8032 | Installation kit, Pro Scale® Advanced Lighting Control System, |
| | TRX-4® Ford Bronco (1979) or Chevrolet K10 Truck (1979) (includes mount, reverse lights harness, hardware) |
| 8028 | LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire |
| | harness |
| 8026X | LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply and #8018, #8072, or #8080 inner fenders) |
| 9263 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll |
| 6500 | bar) Bauer madula, Bra Saala® Advanced Lighting Control Suptom |
| 6592 | Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) |
| 6591 | Pro Scale® Advanced Lighting Control System (includes power |
| 00050 | module & distribution block) |
| 8035R | Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F- 150 (1979), complete with power module (contains headlights, |
| | tail lights, side marker lights, & distribution block) (fits #8010 or |
| 6594 | 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting |
| 0004 | Control System |
| 9262X | Roll bar (assembled with LED lights)/ mounts (front (2), rear (left |
| | & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9262R | Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS |
| | (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9262 | Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| | Long Arm Lift Kit |
| 8162X | Body, GTS shock, long (aluminum, blue-anodized) (1) (for use |
| 01027 | #8140X TRX-4® Long Arm Lift Kit) |
| 8162R | Body, GTS shock, long (aluminum, red-anodized) (1) (for use |
| 8162 | with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 |
| 0102 | TRX-4® Long Arm Lift Kit) |
| 8147 | Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) |
| 8148 | Cable, T-lock, extra long (193mm) (for use with TRX-4® Long Arm Lift Kit) |
| 9283 | Cable, T-lock, rear (185mm) |
| 8150 | Driveshaft extension kit, center (includes internal splined, x-long |
| | (2), internal splined, long (1) and internal splined, medium (1)) (for use with TRX-4® Long Arm Lift Kit) |
| 8140 | Long arm lift kit, TRX-4®, complete |
| | |

| 8140X | Long arm lift kit, TRX-4®, complete (includes blue powder |
|-------|---|
| 8140R | coated links, blue-anodized shocks) Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) |
| 8149 | Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) |
| 8141 | Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) |
| 8161 | Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with |
| | TRX-4® Long Arm Lift Kit) |
| 8160X | Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8160R | Shocks, GTS, aluminum (red-anodized) (assembled without |
| | springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 8160 | Shocks, GTS, silver aluminum (assembled without springs) (4) (for |
| 0452 | use with #8140 TRX-4® Long Arm Lift Kit) |
| 8153 | Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 8154 | Springs, shock, long (natural finish) (GTS) (0.39 rate, orange |
| 0455 | stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 8155 | Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) |
| 8156 | Springs, shock, long (natural finish) (GTS) (0.54 rate, green |
| | stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 8157 | Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 8146X | Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, |
| 01407 | 5x63mm (blue powder coated steel) (assembled with hollow |
| | balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8146R | Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) |
| | (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 8144X | Suspension link, front upper, 5x68mm (1) (blue powder coated |
| | steel) (assembled with hollow balls) (for use with #8140X TRX-4® |
| 8144R | Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (red powder coated |
| ••••• | steel) (assembled with hollow balls) (for use with #8140R TRX-4® |
| ~ | Long Arm Lift Kit) |
| 8144 | Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8143 | Suspension links, front lower (2) (5x104mm, steel) (assembled with |
| | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8143X | Suspension links, front lower, blue (2) (5x104mm, powder coated |
| | steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8143R | Suspension links, front lower, red (2) (5x104mm, powder coated |
| | steel) (assembled with hollow balls) (for use with #8140R TRX-4® |
| 8145 | Long Arm Lift Kit) Suspension links, rear lower (2) (5x115mm, steel) (assembled with |
| 0110 | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8145X | Suspension links, rear lower, blue (2) (5x115mm, powder coated |
| | steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8145R | Suspension links, rear lower, red (2) (5x115mm, powder coated |
| | steel) (assembled with hollow balls) (for use with #8140R TRX-4® |
| 0440 | Long Arm Lift Kit) |
| 8142 | Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8142X | Suspension links, rear upper, blue (2) (5x115mm, powder coated |
| | steel) (assembled with hollow balls) (for use with #8140X TRX-4® |
| 8142R | Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated |
| 01421 | steel) (assembled with hollow balls) (for use with #8140R TRX-4® |
| | Long Arm Lift Kit) |
| 8172 | Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, |
| | foam inserts) (1 left, 1 right) |
| 8184 | Tires & wheels, assembled, glued (2.2" classic chrome wheels, |
| | Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), |
| 8181 | rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, |
| | Canyon Trail 5.3x2.2" tires) (2) |
| 8170 | Tires, Canyon Trail 5.3x2.2"/ foam inserts (2) |
| 8171 | Wheels, 2.2", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately) |
| 8171A | Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal |
| | gray, beadlock) (beadlock rings sold separately) |
| 8180 | Wheels, TRX-4® Sport 2.2 (2) |
| | Motors & Electronics |
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 2262 | BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) |
| | · · · · · · · · · · · · · · · · · · · |

Gear set (for 2065A waterproof sub-micro servo)

Page 4 TRX-4® Ford® F-150® High Trail Edition™: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92046-4) Parts List

| Page 4 | IRX-4® Ford® F-150® High Trail Edition'": TQI'" Traxxa |
|----------------------|--|
| 2064R | Gear set, metal (for 2065R waterproof sub-micro servo) |
| 2072X | Gear set, metal (for 2070, 2075 servos) |
| 2252 | Gear set, metal (for 2250, 2255 servos) |
| 2272 | Gear set, metal (for 2270 waterproof servo) |
| 2072R 8290X | Gear set, metal, high-speed (for 2070, 2075 servos) Motor mount plate, 6061-T6 aluminum (blue-anodized) |
| 8290A | Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) |
| 8290G | Motor mount plate, 6061-T6 aluminum (green-anodized) |
| 8290R | Motor mount plate, 6061-T6 aluminum (red-anodized) |
| 3975R | Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) |
| 8290 2254 | Plate, motor/ upper spur gear cover Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) |
| 2253 | Servo case, aluminum (middle) (red-anodized) (for 2255 servo) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for |
| | 2250, 2255 servos) |
| 2271 2063A | Servo case/ gaskets (for 2270 waterproof servo) |
| 2063A 2063R | Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro |
| | servo) |
| 2063X | Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro |
| 5000 | servo) |
| 5669 | Servo horn (with built-in spring and hardware) (for Summit locking differential) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), |
| | waterproof (#2262 external BEC and #8247X metal servo horn |
| 2255 | recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball |
| 2233 | bearing), waterproof (#2262 external BEC and #8247X metal |
| | servo horn recommended for optimal performance) |
| 2270 | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 2065A 2065R | Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear |
| 3025 | XL-5HV 3s Electronic Speed Control, waterproof (low-voltage |
| | detection, fwd/rev/brake) |
| 2261 | Y-harness, BEC |
| | Pro Scale® Winch & Accessories |
| 8867 | Bumper, front, winch, medium (includes bumper mount, D- |
| | Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979 Blazer with 8855 winch) (217mm wide) |
| 8859 | Fairlead, winch |
| 8870X | Fairlead, winch, aluminum (blue-anodized) (use with front |
| | bumpers #8865, 8866, 8867, 8869, or 9224) |
| 8870A | Fairlead, winch, aluminum (gray-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224) |
| 8870G | Fairlead, winch, aluminum (green-anodized) (use with front |
| | bumpers #8865, 8866, 8867, 8869, or 9224) |
| 8870T | Fairlead, winch, aluminum (orange-anodized) (use with front |
| 8870R | bumpers #8865, 8866, 8867, 8869, or 9224) Fairlead, winch, aluminum (red-anodized) (use with front |
| 00701 | bumpers #8865, 8866, 8867, 8869, or 9224) |
| 8862 | Gearmotor, winch |
| 8863 | Hook, winch (steel)/ line retainer/ washer |
| 8858 8864X | Housings (front & rear), winch/ decal Line, winch (blue) |
| 8864 | Line, winch (gray) |
| 8864R | Line, winch (red) |
| 8860 | Spool shaft assembly, winch |
| 8861 | Spool, winch |
| 8855 8856 | Winch kit with wireless controller, TRX-4® and TRX-6® Winch, TRX-4® and TRX-6® (requires #8857 wireless remote) |
| 8857 | Winch, TRX-4® and TRX-6® (requires #6657 wireless remote) |
| 0001 | Radio System, Batteries & Chargers |
| 2022V | 1400mah 11.1v 3-Cell 25C LiPo Battery |
| 2823X 2820X | 2200mah 7.4v 2-Cell 25C LiPo Battery |
| 2849X | 4000mah 11.1v 3-Cell 25C LiPo Battery |
| 2872X | 5000mah 11.1v 3-Cell 25C LiPo Battery |
| 2842X | 5000mah 7.4v 2-Cell 25C LiPo Battery |
| 2843X | 5800mah 7.4v 2-Cell 25C LiPo Battery |
| 2869X 2914 | 7600mah 7.4v 2-Cell 25C LiPo Battery Battery, Power Cell AA Alkaline (4) |
| 2976 | AC to DC adapter |
| 2938X | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® |
| 1700 | batteries to separate balance ports) |
| 1726 2943 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) Battery charge indicators, green (4), grey (4), blue (4) |
| 2943 6548 | Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 |
| | transmitter) |
| 8222 | Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell |
| | LiPo batteries) |
| | |

| 2923X | Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) |
|--|---|
| 2940X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) |
| 2950X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) |
| 2960X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) |
| 2983 | Battery/charger completer pack (includes #2969 2-amp NiMH |
| | peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH |
| | iD® battery (1)) |
| 2992 | Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) |
| 2994 | Battery/charger completer pack (includes #2970 iD® charger (1)) |
| 2334 | #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) |
| 2991 | Battery/charger completer pack (includes #2972 Dual iD charger |
| 2331 | (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2)) |
| 2262 | BEC, complete (12.6 volts (3s LiPo) maximum input voltage) |
| | (includes receiver box cover and seals) |
| 2975 | Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) |
| 2972 | Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery |
| | Identification |
| 2973 | Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto |
| | Battery Identification |
| 2970 | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery |
| | Identification |
| 2971 | Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery |
| | Identification |
| 2981 | Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto |
| | Battery Identification |
| 6525 | Communication link, telemetry expander |
| 6512 | Cover plate, Traxxas® Link Bluetooth® module |
| 2978 | Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) |
| 2064A | Gear set (for 2065A waterproof sub-micro servo) |
| 2064R | Gear set, metal (for 2065R waterproof sub-micro servo) |
| 2072X | Gear set, metal (for 2070, 2075 servos) |
| 2252 | Gear set, metal (for 2250, 2255 servos) |
| 2272 | Gear set, metal (for 2270 waterproof servo) |
| 2072R | Gear set, metal, high-speed (for 2070, 2075 servos) |
| 2968X | LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) |
| 2968 | LiPo cell voltage checker/balancer (requires #2938X adapter for |
| 2300 | Traxxas® iD® batteries) |
| 6561 | Mount, telemetry expander |
| 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal |
| | pad |
| | |
| 6533 | Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) |
| 6533 6552 | Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) Seal kit, expander box (includes o-ring, seals, and silicone |
| | |
| 6552 6526 | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature |
| 6552 6526 6527 | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage |
| 6552 6526 6527 6521 | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) |
| 6552 6526 6527 6521 2254 | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) |
| 6552 6526 6527 6521 2254 2253 | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) |
| 6552 6526 6527 6521 2254 | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for |
| 6552 6526 6527 6521 2254 2253 2251 | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 6552 6526 6527 6521 2254 2253 2251 2271 | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) |
| 6552 6526 6527 6521 2254 2253 2251 2271 | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063X | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063X 2063X | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063X 2063X | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063X 2063X | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063R 2063X 2075R 2250 | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2005A waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063X 2063X 2075R 2250 | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063X 2075R 2250 2255 2270 | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/ gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063R 2063X 2075R 2255 2270 2075X | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/ gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063X 2075R 2255 2270 2075X 2005A | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063X 2075R 2250 2255 2270 2075X 2005A 2065A | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof |
| 6552 6526 6527 6521 2254 2253 2251 2251 2063A 2063R 2063X 2063X 2075R 2250 2255 2270 2075X 2065A 2065A 2065R 6553X | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof Servo, sub-micro, waterproof |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063X 2075R 2250 2255 2270 2075X 2005A 2065A | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065A metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof Servo, sub-micro, waterproof Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063R 2063X 2075R 2250 2255 2270 2075X 2065A 2065R 6553X 6550X | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/ gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, atternal BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof Servo, Servo, Sub-micro, waterproof Servo, Servo, Sub-micro, waterproof Servo, Servo, Servo |
| 6552 6526 6527 6521 2254 2253 2251 2251 2063A 2063R 2063X 2063X 2075R 2250 2255 2270 2075X 2065A 2065A 2065R 6553X | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063R 2075R 2250 2255 2270 2075X 2065A 2065R 6553X 6551X | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof servo, sub-micro, waterproof, metal gear Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063R 2063X 2075R 2250 2255 2270 2075X 2065A 2065R 6553X 6550X | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, Servo, S |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063R 2075R 2250 2255 2270 2075X 2065A 2065R 6553X 6551X | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof servo, sub-micro, waterproof, metal gear Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with #6550X telemetry expander 2.0, TQi radio system (for use only with |
| 6552 6526 6527 6521 2254 2253 2251 2251 2063A 2063R 2063X 2063X 2063X 2065X 2075R 2250 2270 2075X 2065A 2065A 2065A 2065A 2065A 2065A 2065A 2065A 2065A 2065A | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof, metal gear Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry Expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) |
| 6552 6526 6527 6521 2254 2253 2251 2251 2063A 2063R 2063X 2063X 2063X 2065X 2075R 2250 2270 2075X 2065A 2065A 2065A 2065A 2065A 2065A 2065A 2065A 2065A 2065A | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof, metal gear Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry GPS module 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) |
| 6552 6526 6527 6521 2254 2253 2251 2251 2063A 2063R 2063X 2063X 2063X 2065X 2075R 2250 2270 2075X 2065A 2065A 2065A 2065A 2065A 2065A 2065A 2065A 2065A 2065A | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof servo, sub-micro, waterproof Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4- |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063R 2063X 2075R 2250 2255 2270 2075X 2065A 2065R 6553X 6550X 6551X 6509R 6550R 65530 | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof, metal gear Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry Expander 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6551X GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4- channel (transmitter only) |
| 6552 6526 6527 6521 2254 2253 2251 2271 2063A 2063R 2063R 2063R 2075R 2250 2255 2270 2075X 2065A 2065R 6553X 6551X 6551X 6550R 6507R | Seal kit, expander box (includes o-ring, seals, and silicone grease) Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage Sensor, temperature and voltage (long) Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) Servo case, aluminum (middle) (red-anodized) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2270 waterproof servo) Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof Servo, sub-micro, waterproof servo, sub-micro, waterproof Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear Telemetry Expander 2.0 and GPS module 2.0, TQi radio system Telemetry GPS module) Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4- |

| _ | | |
|--|--|--|
| | Ready-To-Race Model | 39 |
| 000404 | | |
| 92046-4 | TRX-4® High Trail Edition™ with 1979 Ford® F-150® Truck Body: | 39 |
| | 4WD Electric Truck with TQi™ Traxxas Link™ Enabled 2.4GHz | |
| | Radio System | 39 |
| | Scale Details | |
| 8120X | Expedition rack, complete (includes traction boards, shovel, axe, | 39 |
| 01207 | jack, fire extinguisher, fuel cans, & mounting hardware) (fits | |
| | #8111 or #8111R body) | 39 |
| 0000T | • · | - |
| 8022T | Fuel canisters (black) (2)/ screw pin | 39 |
| 8022R | Fuel canisters (blue) (2)/ screw pin | |
| 8022 | Fuel canisters (red) (2)/ screw pin | 39 |
| 8022X | Fuel canisters (white) (2)/ screw pin | 5. |
| 8022A | Fuel canisters (yellow) (2)/ screw pin | 39 |
| 8023 | Jack (1)/ 2x8 BCS (1) | 5 |
| 8023T | Jack (black) (1)/ 2x8 BCS (1) | 20 |
| 8122 | Shovel/ axe/ accessory mount/ mounting hardware | 39 |
| 8121X | Traction boards, blue/ mounting hardware | <i>c</i> - |
| 8121G | Traction boards, green/ mounting hardware | 67 |
| 8121A | Traction boards, yellow/ mounting hardware | 80 |
| 8121 | Traction boards/ mounting hardware | 80 |
| 0121 | | |
| | Shock Oil | 82 |
| 5031 | Oil, shock (20 wt, 200 cSt, 60cc) (silicone) | |
| 5032 | Oil, shock (30 wt, 350 cSt, 60cc) (silicone) | 82 |
| 5033 | Oil, shock (40 wt, 500 cSt, 60cc) (silicone) | 82 |
| 5033 | Oil, shock (50 wt, 600 cSt, 60cc) (silicone) | - |
| 5034 5035 | Oil, shock (60 wt, 700 cSt, 60cc) (silicone) | 82 |
| | | 82 |
| 5036 | Oil, shock (70 wt, 900 cSt, 60cc) (silicone) | 20 |
| 5037 | Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) | 20 |
| 5029 | Shock oil bottle (60cc) (for mixing shock oil) | 82 |
| 5038X | Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & | 53 |
| | 80 wt premium shock oils with spinning carousel rack) | |
| 5038 | Spinning carousel rack | 82 |
| | Shocks (GTS) | |
| 8266A | Body, GTS shock (aluminum, blue-anodized) (1) | 82 |
| 8266G | Body, GTS shock (aluminum, green-anodized) (1) | 82 |
| 8266R | | 27 |
| | Body, GTS shock (aluminum, red-anodized) (1) | 82 |
| 8266 | Body, GTS shock (aluminum, silver-anodized) (1) | 82 |
| 8266X | Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) | 20 |
| 8264 | Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ | 22 |
| | bottom cap (2)/ upper retainer (2)/ lower retainer (2)) | _ |
| 8274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) | 22 |
| 5475 | Multi-tool (plastic) | |
| 8261 | Piston, damper (red) (4)/ e-clips (8) | 20 |
| 8262 | Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e | |
| | clips, rod ends, and travel limiters) | 55 |
| 8263 | Shock shaft, 3x47mm (GTS) (2) | 0 |
| 8263T | Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) | 82 |
| 8260X | Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with | 82 |
| | TiN shafts (assembled with spring retainers) (2) | 82 |
| 8260A | Shocks, GTS, blue-anodized (assembled with spring retainers) | 82 |
| | (2) | |
| 8260G | Shocks, GTS, green-anodized (assembled with spring retainers) | 80 |
| | (2) | 0 |
| 8260R | Shocks, GTS, red-anodized (assembled with spring retainers) (2) | |
| 8260 | Shocks, GTS, silver aluminum (assembled with spring retainers) | 80 |
| | (2) | |
| | | |
| | Slipper Clutch Components | |
| 8292 | | |
| 0006 | Input shaft/ output shaft (transmission) | 82 |
| 8286 | Input shaft/ output shaft (transmission) Output shafts (transfer case), front & rear | 6 4 |
| 8254 | | 53 |
| | Output shafts (transfer case), front & rear | |
| | Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL | 53 82 |
| 8254 | Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2)) Slipper eliminator plate | 53 82 82 |
| 8254 8249 | Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2)) Slipper eliminator plate | 53 82 82 82 |
| 8254 8249 8041 | Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2)) Slipper eliminator plate Springs, shock (GTS) (front) (0.45 rate) (2) | 53 82 82 82 27 |
| 8254 8249 | Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2)) Slipper eliminator plate Springs, shock (GTS) (front) (0.45 rate) (2) Springs, shock (GTS) (rear) (0.54 rate) (2) | 53 82 82 27 82 |
| 8254 8249 8041 | Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2)) Slipper eliminator plate Springs, shock (GTS) (front) (0.45 rate) (2) | 53 82 82 82 27 |
| 8254 8249 8041 8040 | Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2)) Slipper eliminator plate Springs, shock (GTS) (front) (0.45 rate) (2) Springs, shock (GTS) (rear) (0.54 rate) (2) | 53 82 82 82 21 82 55 |
| 8254 8249 8041 8040 8042 | Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2)) Slipper eliminator plate Springs, shock (GTS) (front) (0.45 rate) (2) Springs, shock (GTS) (rear) (0.54 rate) (2) Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) | 53 82 82 82 82 82 55 82 55 82 82 82 82 82 82 82 |
| 8254 8249 8041 8040 8042 8043 | Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2)) Slipper eliminator plate Springs, shock (GTS) (front) (0.45 rate) (2) Springs, shock (GTS) (rear) (0.54 rate) (2) Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) | 53 82 82 82 27 82 55 82 82 82 82 82 |
| 8254 8249 8041 8040 8042 8043 8044 | Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2)) Slipper eliminator plate Springs, shock (GTS) (front) (0.45 rate) (2) Springs, shock (GTS) (rear) (0.54 rate) (2) Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) | 53 82 82 82 82 82 55 82 55 82 82 82 82 82 82 82 |
| 8254 8249 8041 8040 8042 8043 8044 | Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2)) Slipper eliminator plate Springs, shock (GTS) (front) (0.45 rate) (2) Springs, shock (GTS) (rear) (0.54 rate) (2) Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) | 53 82 82 82 27 82 55 82 82 82 82 82 |
| 8254 8249 8041 8040 8042 8043 8044 | Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2)) Slipper eliminator plate Springs, shock (GTS) (front) (0.45 rate) (2) Springs, shock (GTS) (rear) (0.54 rate) (2) Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) | 53 82 82 27 82 55 82 82 82 82 82 82 82 82 82 |
| 8254 8249 8041 8040 8042 8043 8044 8045 | Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2)) Slipper eliminator plate Springs, shock (GTS) (front) (0.45 rate) (2) Springs, shock (GTS) (rear) (0.54 rate) (2) Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (0.61 rate, blue stripe) (2) | 53 82 82 27 82 55 82 82 82 82 82 82 82 |
| 8254 8249 8041 8040 8042 8043 8044 8044 8045 6746 | Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2)) Slipper eliminator plate Springs, shock (GTS) (front) (0.45 rate) (2) Springs, shock (GTS) (rear) (0.54 rate) (2) Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.51 rate, blue stripe) (3) Springs, shock (natural finish) (3) Springs, shock (natural finish) (3) Springs, shock (3) Springs | 53 82 82 21 82 55 82 82 82 82 82 82 82 82 82 82 82 82 82 |
| 8254 8249 8041 8040 8042 8043 8044 8044 8045 6746 6747 | Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2)) Slipper eliminator plate Springs, shock (GTS) (front) (0.45 rate) (2) Springs, shock (GTS) (front) (0.45 rate) (2) Springs, shock (GTS) (rear) (0.54 rate) (2) Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) | 53 82 82 27 82 55 82 82 82 82 82 82 82 |
| 8254 8249 8041 8040 8042 8043 8044 8044 8045 6746 6747 | Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2)) Slipper eliminator plate Springs, shock (GTS) (front) (0.45 rate) (2) Springs, shock (GTS) (rear) (0.54 rate) (2) Springs, shock (GTS) (rear) (0.54 rate) (2) Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (0.61 rate, blue | 53 82 82 21 82 55 82 82 82 82 82 82 82 82 82 82 82 82 82 |

| 3944X | Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) |
|---------------|--|
| | (fits 3mm shaft)/ set screw |
| 8945X | Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) |
| | (fits 3mm shaft)/ set screw |
| 3946X | Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) |
| 0478 | (fits 3mm shaft)/ set screw |
| 8947X | Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 8948X | Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) |
| | (fits 3mm shaft)/ set screw |
| 3949X | Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) |
| | (fits 3mm shaft)/ set screw |
| 8950X | Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) |
| 8951X | (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) |
| 551X | (fits 3mm shaft)/ set screw |
| 8952X | Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) |
| | (fits 3mm shaft)/ set screw |
| 6745 | Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw |
| 8052 | Spur gear, 39-tooth (32-pitch) |
| 3053 | Spur gear, 45-tooth (32-pitch) |
| | Steering Components |
| 3232 | Caster blocks (portal drive), left & right |
| 3232X | Caster blocks, 6061-T6 aluminum (blue-anodized), left and right |
| 3232A | Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left |
| 3232G | and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right |
| 3232R | Caster blocks, 6061-T6 aluminum (green-anodized), left and right |
| 2072X | Gear set, metal (for 2070, 2075 servos) |
| 2072R | Gear set, metal, high-speed (for 2070, 2075 servos) |
| 3274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) |
| 5355 | Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer |
| 075 | adjustment shims; 3.5mm (2), 1.17mm (2) |
| 3275 | Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) |
| 3276 | Rod ends (10) |
| 3277 | Rod ends, angled 10-degrees (8) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 3278 | Rod ends, offset (4) |
| 3247X | Servo horn, steering, metal/ 3x14 BCS (1) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 300 coreless, metal gear (ball bearing), waterproof |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball |
| | bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, |
| 3246 | captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) |
| 3240 3243 | Suspension link, front, 5x100mm (lower) (steel) (2) |
| 3244 | Suspension link, front, 5x63mm (upper) (steel) (2) |
| 3245 | Suspension link, rear, 5x121mm (upper or lower) (steel) (2) |
| | Suspension Linkage |
| 8058 | Chassis conversion kit, TRX-4® (long to short wheelbase) |
| | (includes rear upper & lower suspension links, front & rear inner |
| | fenders, short female half shaft, battery tray, 3x8mm FCS (4)) |
| 8057 | Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear |
| | shock towers, long female half shaft) |
| 8274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) |
| 5355 | Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer |
| | adjustment shims; 3.5mm (2), 1.17mm (2) |
| 3275 | Rod end set, complete (standard (10), angled 10-degrees (8), offset |
| 3276 | (4)) Rod ends (10) |
| 3277 | Rod ends, angled 10-degrees (8) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 3278 | Rod ends, offset (4) |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, |
| | captured (4) |
| 3243 | Suspension link, front, 5x100mm (lower) (steel) (2) |
| 3244 | Suspension link, front, 5x63mm (upper) (steel) (2) |
| 3248 3245 | Suspension link, rear, 5x109mm (upper or lower) (steel) (2) Suspension link, rear, 5x121mm (upper or lower) (steel) (2) |
| | |
| | Team Traxxas Items |
| 2514 | Decal sheet, racing sponsors |
| 6160X 9950 | DVD, Maxx® Power! Full Throttle Action (sleeve) Official Team Traxxas® racing decal set(flag logo/ 6-color) |
| | |

Traxxas® racing banner, red & black (3x7 feet)

Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) 9950 (fits 3mm shaft)/ set screw 9909

Page 6 TRX-4® Ford® F-150® High Trail Edition™: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92046-4) Parts List

| Page 6 | IRX-4® Ford® F-150® High Trail Edition'": IQI'" Traxx | as |
|----------------|---|--------|
| | Tires & Wheels | 8 |
| 8169T | Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) | |
| 8168T | Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48) | 8 |
| 8169X | Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) | 8 |
| 8168X | Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) | |
| 8169G 8168G | Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) | 8 |
| 8169R | Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) | 8 |
| 8168R | Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) | 8 |
| 8169 | Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) | 8 |
| 8168 | Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48) | 8 |
| 8152 | Center caps, wheel (satin chrome) (front (2), rear (2)) (requires #8255A extended thread stub axle) | |
| 1747P | Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) | 8 |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) | 8 |
| 1747G | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) | 9 |
| 1747T | Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) | 8 |
| 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) | 8 |
| 8174 | Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) | 8 |
| 8182 | Tires & wheels, assembled (Method Race Wheels® 105 Beadlock | 8 |
| | 1.9" satin black chrome, blue beadlock style wheels, Canyon | 8 |
| | Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) | 5 |
| 8166 | Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires | 8 8 |
| | #8255A extended thread stub axle) | 8 |
| 8177 | Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon | 8 |
| | Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires | 8 |
| 04007 | #8255A extended thread stub axle) | 8 |
| 8166X | Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires | |
| | #8255A extended thread stub axle) | 8 |
| 8183X | Tires & wheels, assembled, glued (1.9" classic chrome wheels, | 8 |
| | Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet | 8 |
| 04507 | (requires #8255A extended thread stub axle) | 8 |
| 8159X | Tires & wheels, assembled, glued (2.2" chrome wheels, Canyon Trail 5.3 x 2.2" tires) (2)/ center caps (front (2), rear (2))/ decal | 8 |
| | sheet (requires #8255A extended thread stub axle) | 8 |
| 8184 | Tires & wheels, assembled, glued (2.2" classic chrome wheels, | |
| | Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front | 3 |
| 8159 | (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" satin chrome wheels, Canyon | 3 |
| 0100 | Trail 5.3 x 2.2" tires) (2)/ center caps (front (2), rear (2)) (requires | 3 |
| | #8255A extended thread stub axle) | 3 |
| 8273 | Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2) | 8 |
| 8272X | Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock | |
| | wheels, Canyon Trail 4.6x1.9" tires) (2) | |
| 8272 | Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon | 8 |
| 8179 | Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, | 8 |
| 0179 | Canyon Trail 4.6x1.9" tires) (2) | 8 |
| 8172 | Tires and wheels, assembled (Method 105 2.2™ black chrome | 8 |
| | beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 | |
| 8181 | left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, | |
| 0101 | Canyon Trail 5.3x2.2 [™] tires) (2) (for use with TRX-4 Long Arm | |
| | Lift Kit) | 8 |
| 8270 | Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) | |
| 8170 | Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 | |
| 8269 | Long-Arm Lift Kit) | 8 |
| 8269X | Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ | |
| 02007 | 3x10 screw pin (4) | 8 |
| 8269A | Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- | Ĩ |
| 8269G | anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ | 8 |
| 02090 | 3x10 screw pin (4) | |
| 8269R | Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ | 8 |
| | 3x10 screw pin (4) | 8 |
| 8165 | Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires | |
| 8175 | #8255A extended thread stub axle) Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires | 8 |
| | #8255A extended thread stub axle) | 2 |
| 8173 | Wheels, 1.9", Method Race Wheels® 105 Beadlock (black | 2 |
| 91794 | chrome, beadlock) (beadlock rings sold separately) | |
| 8173A | Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) | 3 |
| 8158X | Wheels, 2.2", chrome (2)/ center caps (front (2), rear (2)) (requires | |

8158X Wheels, 2.2", chrome (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle)

| | as Link' ^m Enabled 2.4GHz Radio (Model 92046-4) Parts List | | |
|---|--|--|--|
| 8158 | Wheels, 2.2", satin chrome (2)/ center caps (front (2), rear (2)) | | |
| 0150 | (requires #8255A extended thread stub axle) | | |
| 8171 | Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit) | | |
| 8171A | Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit) | | |
| 8180 | Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift Kit) | | |
| 8271 | Wheels, TRX-4® 1.9 (2) | | |
| 8271X | Wheels, TRX-4® 1.9 (satin beadlock) (2) | | |
| 8178 | Wheels, TRX-4® Sport 1.9 (2) | | |
| 8268 | Wheels, TRX-4® Tactical 1.9 (2) | | |
| | Transmission Components | | |
| 8283 | Cable, T-lock (front) | | |
| 8284 | Cable, T-lock (rear) | | |
| 9283 | Cable, T-lock, rear (185mm) | | |
| 8195 | Differential, locking, front and rear (assembled) (includes T-Lock cables and servos) | | |
| 8289 | Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage | | |
| 8293X | Gear set, transmission, metal (includes 18T, 30T input gears, 36T | | |
| | output gear, 2x9.8 pins (5)) | | |
| 8291 | Gearbox housing (includes main housing, front housing, & cover) | | |
| 8285 | Gears, transfer case (3) | | |
| 5041 8292 | Grease, premium high performance (20cc) Input shaft/ output shaft (transmission) | | |
| 8292 8290X | Motor mount plate, 6061-T6 aluminum (blue-anodized) | | |
| 8290A | Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) | | |
| 8290G | Motor mount plate, 6061-T6 aluminum (green-anodized) | | |
| 8290R | Motor mount plate, 6061-T6 aluminum (red-anodized) | | |
| 8295 | Output drive, transmission or differential (pin retainer (1)/ drive cup | | |
| | (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) | | |
| | (1) 3x6 BCS with threadlock (1)) | | |
| 8294 | Output gear, high range, 24T (metal) | | |
| 8286 | Output shafts (transfer case), front & rear | | |
| 8290 8249 | Plate, motor/ upper spur gear cover Slipper eliminator plate | | |
| 8296 | Transmission gears, single speed, metal | | |
| 8196 | Two speed conversion kit | | |
| 0100 | | | |
| | Traxxas Tools | | |
| 3433X | Body reamer (aluminum handle) | | |
| 3433 | Body reamer (plastic handle) | | |
| 3436 3432 | Cap, body reamer Scissors, curved tip | | |
| 3431 | Scissors, straight tip | | |
| 8712 | Speed Bit Essentials Set, hex and nut driver, 7-piece, includes | | |
| | | | |
| | premium handle (medium), travel pouch, hex drivers (straight: | | |
| | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, | | |
| | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive | | |
| 8720 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) | | |
| 8721 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) | | |
| 8721 8722 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) | | |
| 8721 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes | | |
| 8721 8722 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) | | |
| 8721 8722 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, | | |
| 8721 8722 8710 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive | | |
| 8721 8722 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, | | |
| 8721 8722 8710 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers | | |
| 8721 8722 8710 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, | | |
| 8721 8722 8710 8711 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 2.5mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive | | |
| 8721 8722 8710 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, | | |
| 8721 8722 8710 8711 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive | | |
| 8721 8722 8710 8711 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" | | |
| 8721 8722 8710 8711 8719 8716 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive | | |
| 8721 8722 8710 8711 8719 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, nex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm), | | |
| 8721 8722 8710 8711 8719 8716 8716X | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive | | |
| 8721 8722 8710 8711 8719 8716 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, | | |
| 8721 8722 8710 8711 8719 8716 8716X | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive | | |
| 8721 8722 8710 8711 8719 8716 8716 8715 8715X | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive | | |
| 8721 8722 8710 8711 8719 8716 8716X 8715 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, hex driver, 6-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (3.5mm, 3.0mm, 2.5mm, 3.0mm), 1/4" drive | | |
| 8721 8722 8710 8711 8719 8716 8716 8715 8715 8715 8714 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), ndn nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nex driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive | | |
| 8721 8722 8710 8711 8719 8716 8716 8715 8715X | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive | | |
| 8721 8722 8710 8711 8719 8716 8716 8715 8715 8715 8714 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 3.0mm) 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive Speed Bit Set, 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench / 4-way wrench/ 8mm & 4mm wrench/ U-joint | | |
| 8721 8722 8710 8711 8719 8716 8716 8715 8715 8715 8714 | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, premium (rubber overmold) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nex driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive | | |
| 8721 8722 8710 8711 8719 8716 8716 8715 8715 8715 8714 2748R | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 3.0mm) 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench / 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench) Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut | | |
| 8721 8722 8710 8711 8719 8716 8716 8715 8715 8715 8714 2748R | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive Speed Bit Set, includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench / 4-way wrench/8mm & 4mm wrench/U-joint wrench) Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, | | |
| 8721 8722 8710 8711 8719 8716 8716 8715 8715 8715 8714 2748R | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 3.0mm) 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench / 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench) Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut | | |

| TRX-4 ® Traxx® | |
|-----------------------|---|
| 8889 | Bearing retainers, inner (2)/ outer (2) |
| 8890 | Drive wheel (1) |
| 8885 | Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right)) |
| 8888 | Spring (4) |
| 8887 | Stub axle (1) |
| 8886 | Stub axle nut (4) |
| 8891 | Tension wheels (6)/ road wheels (4) |
| 8881 | Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) |
| 8882 | Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) |
| 8883 | Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) |
| 8884 | Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) |
| 8880 | Traxx®, TRX-4® (4) (complete set, front & rear) |
| 8895 | Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) |
| 8896 | Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1) |

If you have questions or need technical assistance, call Traxxas at:



(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com TRAXXAS.COM