

TRX-4® Ford® Bronco® (Model 92076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

8241	Axle Components		Body (Ford® Bronco)
	Axle housing, front	9215	Body cage (fits #9211 body)
8242	Axle housing, intermediate (TRX-6™) or rear (TRX-4®)	9211	Body, Ford Bronco (clear, requires painting)/ decals/ window
8227	Axle mount set (complete) (front & rear) (for suspension links)		masks (includes grille, side mirrors, door handles, fender flares,
8228	Axle shaft, front (left)/ drive pin/ cross pin		windshield wipers, spare tire mount, clipless mounting,
8229	Axle shaft, front (right)/ drive pin/ cross pin	00447	hardware) (requires #8080X inner fenders)
8060	Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear)	9211X	Body, Ford Bronco, complete, Cyber Orange (painted) (includes grille, side mirrors, door handles, fender flares, windshield wipers,
8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear, front (machined) (2) (assembled)	20110	spare tire mount, & clipless mounting) (requires #8080X inner fenders)
8230	Axle shaft, rear (left)	9211G	Body, Ford Bronco, complete, Iconic Silver (painted) (includes grille, side mirrors, door handles, fender flares, windshield wipers, spare tire
8231	Axle shaft, rear (right)		mount, & clipless mounting) (requires #8080X inner fenders)
8063	Axle shaft, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear)	9211L	Body, Ford Bronco, complete, Oxford White (painted) (includes grille, side mirrors, door handles, fender flares, windshield wipers, spare tire
8061	Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined) (2) (assembled)	9211R	mount, & clipless mounting) (requires #8080X inner fenders) Body, Ford Bronco, complete, Rapid Red (painted) (includes grille,
8233	Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)	OZTIIK	side mirrors, door handles, fender flares, windshield wipers, spare tire
8256 8256X	Portal drive axle mount, rear (left & right)		mount, & clipless mounting) (requires #8080X inner fenders)
	Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4)	9211T	Body, Ford Bronco, complete, Shadow Black (painted) (includes grille, side mirrors, door handles, fender flares, windshield wipers,
8256A	Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray- anodized) (left and right)/ 2.5x/6 CS (4)		spare tire mount, & clipless mounting) (requires #8080X inner fenders)
8256G	Portal drive axle mount, rear, 6061-T6 aluminum (green- anodized) (left and right)/ 2.5x16 CS (4)	9211A	Body, Ford Bronco, complete, Velocity Blue (painted) (includes grille, side mirrors, door handles, fender flares, windshield wipers, spare tire
8256R	Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized)		mount, & clipless mounting) (requires #8080X inner fenders)
8252	(left and right)/ 2.5x16 CS (4) Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)	6593	Distribution block, Pro Scale® Advanced Lighting Control
8253	Portal drive housing, inner, rear (left or right) (2)	0040	System Deer handles left & right/trail sights left & right/trail sight rateiners
8251	Portal drive housing, outer (front or rear) (2)	9218	Door handles, left & right/ trail sights, left & right/ trail sight retainers (2)/ 2.6x8 BCS (4)/ 1.6x7 BCS (self-tapping) (5) (fits #9211 body)
8064	Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft)	9291	Front light harness, Ford Bronco (requires #6592 lighting power module and #6593 distribution block)
8257	Portal drive input gear, front/ drive pin/ cross pin	9220	Grille, Ford Bronco/ grille mount/ 2.6x8 BCS (6)/ 3x8 BCS (4) (fits
8259	Portal drive input gear, rear		#9211 body)
8065	Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle)	9222	Headlight assembly, complete (2)/ 2.6x8mm BCS (2) (fits #9211
8258	Portal drive output gear, front or rear	9216	body) Latch, body mount (2)/ 3x8 BCS (8)
8252X	Portal housings, inner (front), 6061-T6 aluminum (blue-anodized)	8036	LED light set (contains headlights, tail lights, side marker lights,
	(2)/ 3x12 BCS (2)		and distribution block) (fits #8010 body, requires #8028 power
8252A	Portal housings, inner (front), 6061-T6 aluminum (charcoal grayanodized) (2)/ 3x12 BCS (2)	6592	supply) Power module, Pro Scale® Advanced Lighting Control System
8252G	Portal housings, inner (front), 6061-T6 aluminum (green- anodized) (2)/ 3x12 BCS (2)	6591	(includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power
8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2)	9290	module & distribution block) Pro Scale® LED light set, Ford Bronco, complete with power
8253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2)		module (includes headlights, tail lights, & distribution block) (fits #9211 body)
8253A	Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2)/ 2.5x10 CS (2)	9292	Rear light harness, Ford Bronco (requires #6592 lighting power module and #6593 distribution block)
8253G	Portal housings, inner (rear), 6061-T6 aluminum (green-	6594	Receiver communication cable, Pro Scale® Advanced Lighting Control System
8253R	Portal housings, inner (rear), 6061-T6 aluminum (red-anodized)	9217	Side mirrors, black (left & right)/ windshield wipers (2)/ cowl/ 2.5x8
8251X	Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/	9219	Spare tire mount/ mounting bracket/ 3x8 BCS (3)/ 3x12 BCS (4) (fits
8251A	Portal housings, outer, 6061-T6 aluminum (charcoal gray-	9221	Tail light assembly, complete (2)/ 3x8mm BCS (4) (fits #9211 body)
8251G	Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/	8011A	BOILY LIZING KOVER'S DETERMINED TO BODY, Land Rover Defender, adventure orange (complete with
8251R	Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/	8011T	ExoCage, inner fenders, fuel canisters, and jack) Body, Land Rover Defender, blue (painted)/ decals
8255		8011X	Body, Land Rover Defender, graphite silver (painted)/ decals
	, , , ,	8011R	Body, Land Rover Defender, red (painted)/ decals
8267	Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6)	8012	Decals, Land Rover Defender
	(requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	6593	Distribution block, Pro Scale® Advanced Lighting Control System
	Bearings & Bushings	8016	ExoCage (complete with assembly hardware; #8015 roof basket
	Ball bearings, black rubber sealed (10x15x4mm) (2)	- · · ·	sold separately) (fits #8011 series bodies)
5119A	Ball bearings, black rubber sealed (12x18x4mm) (2)	8019	Fender brace, inner, front & rear
5119A 5120A		8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 series
	Ball bearings, black rubber sealed (4x10x4mm) (2)	0017	
5120A 5104A 5115A	Ball bearings, black rubber sealed (5x10x4mm) (2)		bodies)
5120A 5104A 5115A 5116A	Ball bearings, black rubber sealed (5x10x4mm) (2) Ball bearings, black rubber sealed (5x11x4mm) (2)	8018	bodies) Fenders, inner, front & rear (2 each)/ rock light covers (8)
5120A 5104A 5115A 5116A 5114A	Ball bearings, black rubber sealed (5x10x4mm) (2) Ball bearings, black rubber sealed (5x11x4mm) (2) Ball bearings, black rubber sealed (5x8x2.5mm) (2)		bodies) Fenders, inner, front & rear (2 each)/ rock light covers (8) Grille, Land Rover Defender/ grille mount (3)/ headlight housing
5120A 5104A 5115A 5116A	Ball bearings, black rubber sealed (5x10x4mm) (2) Ball bearings, black rubber sealed (5x11x4mm) (2)	8018	bodies) Fenders, inner, front & rear (2 each)/ rock light covers (8)
8253R 8251X 8251A 8251G 8251R 8255 8255A	anodized) (2)/ 2.5x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stub axle (portal drive) (2) Stub axle, extended thread (portal drive) (2) Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing)	9217 9219 9221 8011A 8011T 8011X 8011R 8012 6593 8016 8019	Control System Side mirrors, black (left & right)/ windshield wipers (2)/ cowl/ 2.5 BCS (3)/ 2.5x10 CS (2)/ 1.6x5 BCS (2) (fits #9211 body) Spare tire mount/ mounting bracket/ 3x8 BCS (3)/ 3x12 BCS (4)/ #9211 body) Tail light assembly, complete (2)/ 3x8mm BCS (4) (fits #9211 body) Body, Land Rover Defender, adventure orange (complete we ExoCage, inner fenders, fuel canisters, and jack) Body, Land Rover Defender, blue (painted)/ decals Body, Land Rover Defender, graphite silver (painted)/ decals Body, Land Rover Defender, red (painted)/ decals Decals, Land Rover Defender Distribution block, Pro Scale® Advanced Lighting Control System ExoCage (complete with assembly hardware; #8015 roof basold separately) (fits #8011 series bodies) Fender brace, inner, front & rear

Page 2	TRX-4® Ford® Bronco®: TQi™ Traxxas Link™ Enab	led 2.4G	GHz Radio (Model 92076-4) Parts List
8095	LED light set, complete with power supply (contains headlights, tail lights, roof light bar, rock lights & distribution block) (fits #8011 series bodies)	8239 8226	Servo mount, steering/ chassis crossmember Tray, battery
8025	LED lightbar (Rigid), TRX-4® (requires #8028 power supply)		Differential Components
8029	LED lightbar kit (Rigid)/power supply, TRX-4®	8281	Carrier, differential/ differential slider/ T-Lock fork
8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits	8280A	Differential cover, front or rear (black)
	#8011 series bodies)	8280X	Differential cover, front or rear (chrome plated)
6592	Power module, Pro Scale® Advanced Lighting Control System	8280	Differential cover, front or rear (grey)
0504	(includes mount, communication cables, hardware)	8280R	Differential cover, front or rear (red)
6591	Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	8282	Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2))
6594	Receiver communication cable, Pro Scale® Advanced Lighting	8295	Output drive, transmission or differential (pin retainer (1)/ drive cup
000-1	Control System	0200	(1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)
8015	Roof basket (requires #8216 ExoCage) (fits #8011 series bodies)		(1) 3x6 BCS with threadlock (1))
8021	Spare tire mount/ mounting bracket/ screw pins (2)	8279	Ring gear, differential/ pinion gear, differential
8014	Tail light housing (2)/ lens (2)/ decals (left & right) (fits #8011 series bodies)	8279R 8287	Ring gear, differential/ pinion gear, differential (machined) Ring gear, differential/ pinion gear, differential (overdrive,
		020.	machined)
1-00	Body Accessories	8288	Ring gear, differential/ pinion gear, differential (underdrive,
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		machined)
8115	Body posts, front & rear	8297	Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with
2514 8081	Decal sheet, racing sponsors Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080		threadlock) (4)
0001	narrow inner fenders)		Driveline Components
9227	Fender flares, front & rear (2 each)/ flare mounts (4)/ 2x8 CS (24) (fits	8250	Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
8080	#9211 body) Fenders, inner (narrow), front & rear (2 each)/ rock light covers	8255	Stub axle (portal drive) (2)
8080	(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS	8255A	Stub axle, extended thread (portal drive) (2)
	(10)	8269	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
8080X	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/	8269X	Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/
	battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)	20004	3x10 screw pin (4)
0070	(for clipless body mounting)	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4)	8269G	anodized) (4)/ 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)	02000	3x10 screw pin (4)
	Bumpers & Skidplates	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
8234			3x10 screw pin (4)
8234R	Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4) Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)		Hardware
9223	Bumper mount, front/ skidplate/ 3x12mm BCS (7)	1552	3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1)
8067	Bumper mounts, front & rear	4859	CS 3x10 flathead (hex drive)
8237	Bumper mounts, front & rear/ screw pins (4)	8167X	Hardware kit, stainless steel, beadlock rings (contains stainless
8069	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)	0200	steel hardware for 4 wheels)
8235	Bumper, front/ winch/ 2.6x8 BCS (1)	8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®)
9224 8236	Bumper, front/ winch/ winch mount (assembled) Bumper, rear	8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all
9225	Bumper, rear		stainless steel hardware used on TRX-4® High Lift Kit)
8068	Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2)	5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball
8066	Push bar, bumper (chrome) (fits #8069 bumper)	1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
8238	Skidplate/ lower gear cover	3647 8347	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, 4mm flanged nylon locking, serrated (black) (10)
	Chassis & Attachments	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
8327	Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
	wheelbase)	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
8223	Battery plate/ battery strap/ 3x8 flathead screws (4) (requires	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
	#8072 inner fenders)	1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
8215	Body mounts & posts, front & rear (complete set)	8221	Screw pin, 3x10mm (6)
8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)	2523	Screws, 2.5x10 countersunk machine (hex drive) (6)
8058	Chassis conversion kit, TRX-4® (long to short wheelbase)	3229 3236	Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6)
	(includes rear upper & lower suspension links, front & rear inner	2618	Screws, 2.5x12mm cap-head machine (6)
	fenders, short female half shaft, battery tray, 3x8mm FCS (4))	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
8057	Chassis conversion kit, TRX-4® (short to long wheelbase)	2524	Screws, 2.5x8 countersunk machine (hex drive) (6)
	(includes rear upper & lower suspension links, front & rear shock towers, long female half shaft)	2617	Screws, 2.5x8mm button-head machine (hex drive) (6)
8220	Chassis rails, 448mm (steel) (left & right)	3965	Screws, 2.5x8mm cap-head machine (6)
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers	8299	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
	(8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS	8167 2564	Screws, 2x10mm cap-head, self-tapping (hex drive) (10)
000011	(10)	2564 2577	Screws, 2x8mm cap-head machine (hex drive) (6) Screws, 3x10mm button-head machine (hex drive) (6)
8080X	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10)	2578	Screws, 3x12mm button-head machine (hex drive) (6)
	(for clipless body mounting)	2579	Screws, 3x15mm button-head machine (hex drive) (6)
8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery	2591	Screws, 3x23mm button-head machine (hex drive) (6)
	plate/ 3x8 flathead screws (4)	2581	Screws, 3x25mm button-head machine (hex drive) (6)
8218	Floor pans, left & right	2616	Screws, 3x27mm button-head machine (hex drive) (6)
8224X	Receiver box cover (for use only with #8224 receiver box &	2582	Screws, 3x30mm button-head machine (hex drive) (6)
9240	#2260 BEC)/ foam pads/ seals/ silicone grease	2575	Screws, 3x6mm button-head machine (hex drive) (6)
8219 8225	Rock sliders, left & right Seal kit, receiver box (includes o-ring, seals, and silicone	3932 2576	Screws, 3x6mm flat-head machine (hex drive) (6) Screws, 3x8mm button-head machine (hex drive) (6)
	grease)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
8240X	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips	3933	Screws, 4x16mm button-head machine (hex drive) (6)

Page 3 TRX-4® Ford® Bronco®: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92076-4) Parts List

	LED Light Accessories	8145	Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift K
8031	3-in-1 wire harness, LED light kit	8145X	Suspension links, rear lower, blue (2) (5x115mm, powder coat
089	4-in-2 wire harness, LED light kit		steel) (assembled with hollow balls) (for use with #8140X TRX
593	Distribution block, Pro Scale® Advanced Lighting Control System	04450	Long Arm Lift Kit)
291	Front light harness, Ford Bronco (requires #6592 lighting power module and #6593 distribution block)	8145R	Suspension links, rear lower, red (2) (5x115mm, powder coate steel) (assembled with hollow balls) (for use with #8140R TRX Long Arm Lift Kit)
028	LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire harness	8142	Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift K
026X	LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply and #8018, #8072, or #8080 inner fenders)	8142X	Suspension links, rear upper, blue (2) (5x115mm, powder coat steel) (assembled with hollow balls) (for use with #8140X TRX
592	Power module, Pro Scale® Advanced Lighting Control System		Long Arm Lift Kit)
591	(includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block)	8142R	Suspension links, rear upper, red (2) (5x115mm, powder coate steel) (assembled with hollow balls) (for use with #8140R TRX Long Arm Lift Kit)
290	Pro Scale® LED light set, Ford Bronco, complete with power module (includes headlights, tail lights, & distribution block) (fits #9211 body)	8172	Tires & wheels, assembled (Method Race Wheels® 105 Beadlo 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tire foam inserts) (1 left, 1 right)
292	Rear light harness, Ford Bronco (requires #6592 lighting power module and #6593 distribution block)	8181	Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2)
594	Receiver communication cable, Pro Scale® Advanced Lighting	8170	Tires, Canyon Trail 5.3x2.2"/ foam inserts (2)
	Control System	8171	Wheels, 2.2", Method Race Wheels® 105 Beadlock (black
	Long Arm Lift Kit	0171 A	chrome, beadlock) (beadlock rings sold separately)
162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit)	8171A	Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately)
162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use		Motors & Electronics
162	with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140	1926 1726	Antenna caps, vinyl (2)/ antenna spool Antenna, tubo (1)/ vinyl antenna cap (1)/ wire retainer (1)
	TRX-4® Long Arm Lift Kit)	1726 2262	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage)
147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)	2202	(includes receiver box cover and seals)
148	Cable, T-lock, extra long (193mm) (for use with TRX-4® Long	2064A	Gear set (for 2065A waterproof sub-micro servo)
	Arm Lift Kit)	2064R	Gear set, metal (for 2065R waterproof sub-micro servo)
50	Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1))	2072X	Gear set, metal (for 2070, 2075 servos)
	(for use with TRX-4® Long Arm Lift Kit)	2252	Gear set, metal (for 2250, 2255 servos)
40	Long arm lift kit, TRX-4®, complete	2272 2072R	Gear set, metal (for 2270 waterproof servo) Gear set, metal, high-speed (for 2070, 2075 servos)
40X	Long arm lift kit, TRX-4®, complete (includes blue powder	8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
400	coated links, blue-anodized shocks)	8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodize
40R	Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks)	8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
49	Rod ends, extended (standard (4), angled (4))/ hollow balls (8)	8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
	(for use with TRX-4® Long Arm Lift Kit)	3975R	Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)
141	Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)	8290	Plate, motor/ upper spur gear cover
61	Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use	2254 2253	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo case, aluminum (middle) (red-anodized) (for 2255 servo
cov	with TRX-4® Long Arm Lift Kit)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (
60X	Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)		2250, 2255 servos)
160R	Shocks, GTS, aluminum (red-anodized) (assembled without	2271	Servo case/ gaskets (for 2270 waterproof servo)
160	springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) Shocks, GTS, silver aluminum (assembled without springs) (4)	2063A 2063R	Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-m
153	(for use with #8140 TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.29 rate, white	2063X	servo) Servo case/gaskets (for 2065X metal gear, waterproof, sub-mi servo)
154	stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.39 rate, orange	5669	Servo horn (with built-in spring and hardware) (for Summit locking differential)
155	stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.47 rate) (included	2075R	Servo, digital high-speed, metal gear (ball bearing), waterprod
156	with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.54 rate, green	2250	Servo, digital high-torque 330 coreless, metal gear (ball beari waterproof (#2262 external BEC and #8247X metal servo horn
157	stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe)	2255	recommended for optimal performance) Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 metal ser
146X	(for use with TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow	2075X	horn recommended for optimal performance) Servo, digital high-torque, metal gear (ball bearing), waterproof
	balls) (for use with #8140X TRX-4® Long Arm Lift Kit)	2270	Servo, digital high-torque, metal gear (ball bearing), waterpro
146R	Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls)	2065A 2065R	Servo, sub-micro, waterproof Servo, sub-micro, waterproof, metal gear
144X	(for use with #8140R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®	3025 2261	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake) Y-harness, BEC
	Long Arm Lift Kit)		Pro Scale® Winch & Accessories
144R	Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®	8859	Fairlead, winch
144	Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow halls) (for use with #8140 TRX-4® Long Arm Lift Kit)	8870X 8870A	Fairlead, winch, aluminum (blue-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224) Fairlead, winch, aluminum (gray-anodized) (use with front
	hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, front lower (2) (5x104mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)	8870G	bumpers #8865, 8866, 8867, 8869, or 9224) Fairlead, winch, aluminum (green-anodized) (use with front
143			bumpers #8865, 8866, 8867, 8869, or 9224)
	Suspension links, front lower, blue (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4®	8870T	Fairlead, winch, aluminum (orange-anodized) (use with front
143 143X 143R	Suspension links, front lower, blue (2) (5x104mm, powder coated	8870T 8870R	

Page 4	TRX-4® Ford® Bronco®: TQi™ Traxxas Link™ Enab	led 2.4G	Hz Radio (Model 92076-4) Parts List
8863 8858	Hook, winch (steel)/ line retainer/ washer Housings (front & rear), winch/ decal	2063A 2063R	Servo case/gaskets (for 2065A waterproof sub-micro servo) Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro
8864X	Line, winch (blue)		servo)
8864	Line, winch (gray)	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro
8864R	Line, winch (red)		servo)
8860	Spool shaft assembly, winch	2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
8861	Spool, winch	2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),
8855	Winch kit with wireless controller, TRX-4® and TRX-6®		waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
8856	Winch, TRX-4® and TRX-6® (requires #8857 wireless remote)	2255	Servo, digital high-torque 400 brushless, metal gear (ball
8857	Wireless remote, winch, TRX-4® and TRX-6®		bearing), waterproof (#2262 external BEC and #8247 metal servo
	Radio System, Batteries & Chargers		horn recommended for optimal performance)
2823X	1400mah 11.1v 3-Cell 25C LiPo Battery	2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2820X	2200mah 7.4v 2-Cell 25C LiPo Battery	2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2849X	4000mah 11.1v 3-Cell 25C LiPo Battery	2065A	Servo, sub-micro, waterproof
2872X 2842X	5000mah 11.1v 3-Cell 25C LiPo Battery	2065R 6553X	Servo, sub-micro, waterproof, metal gear Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
2843X	5000mah 7.4v 2-Cell 25C LiPo Battery 5800mah 7.4v 2-Cell 25C LiPo Battery	6550X	Telemetry expander 2.0, TQi radio system (for use only with
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery	••••	#6551X GPS module)
2914	AA 4PK	6551X	Telemetry GPS module 2.0, TQi radio system (for use only with
2976	AC to DC adapter		#6550X telemetry expander)
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD®	6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-
	batteries to separate balance ports)	0544	channel (transmitter only)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	6511 2261	Traxxas® Link Bluetooth® module Y-harness, BEC
2943	Battery charge indicators, green (4), grey (4), blue (4)	2201	·
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)		Ready-To-Race Model
8222	Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell	92076-4	TRX-4® Scale and Trail® Crawler with Ford® Bronco Body: 4WD
0222	LiPo batteries)		Electric Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)		System
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)		Scale Details
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	8022T	Fuel canisters (black) (2)/ screw pin
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	8022R	Fuel canisters (blue) (2)/ screw pin
2983	Battery/charger completer pack (includes #2969 2-amp NiMH	8022	Fuel canisters (red) (2)/ screw pin
	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1))	8022X 8022A	Fuel canisters (white) (2)/ screw pin
2992	Battery/charger completer pack (includes #2970 iD® charger (1),	8022A 8023	Fuel canisters (yellow) (2)/ screw pin Jack (1)/ 2x8 BCS (1)
	#2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1))	8023T	Jack (black) (1)/ 2x8 BCS (1)
2994	Battery/charger completer pack (includes #2970 iD® charger (1),		
	#2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1))		Shock Oil
2991	Battery/charger completer pack (includes #2972 Dual iD charger	5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
2262	(1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2)) BEC, complete (12.6 volts (3s LiPo) maximum input voltage)	5032 5033	Oil, shock (30 wt, 350 cSt, 60cc) (silicone) Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
2202	(includes receiver box cover and seals)	5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery	5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
	Identification	5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto	5029	Shock oil bottle (60cc) (for mixing shock oil)
2970	Battery Identification Charger F7 Book Blue 4 cmp. NiMH/I iBo with iD Auto Battery	5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, &
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification	E020	80 wt premium shock oils with spinning carousel rack)
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery	5038	Spinning carousel rack
	Identification		Shocks (GTS)
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	8266A	Body, GTS shock (aluminum, blue-anodized) (1)
	Battery Identification	8266G	Body, GTS shock (aluminum, green-anodized) (1)
6525	Communication link, telemetry expander	8266R	Body, GTS shock (aluminum, red-anodized) (1)
6512	Cover plate, Traxxas® Link Bluetooth® module	8266	Body, GTS shock (aluminum, silver-anodized) (1) Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
2978 2064A	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) Gear set (for 2065A waterproof sub-micro servo)	8266X 8264	Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/
2064R	Gear set, metal (for 2065R waterproof sub-micro servo)	0 <u>-</u> 0 -	bottom cap (2)/ upper retainer (2)/ lower retainer (2))
2072X	Gear set, metal (for 2070, 2075 servos)	8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
2252	Gear set, metal (for 2250, 2255 servos)	5475	Multi-tool (plastic)
2272	Gear set, metal (for 2270 waterproof servo)	8261	Piston, damper (red) (4)/ e-clips (8)
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)	8262	Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	0000	clips, rod ends, and travel limiters)
2069	Traxxas® iD® batteries)	8263 8263T	Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)	8260X	Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with
6561	Mount, telemetry expander	02007	TiN shafts (assembled with spring retainers) (2)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	8260A	Shocks, GTS, blue-anodized (assembled with spring retainers)
	pad		(2)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)	8260G	Shocks, GTS, green-anodized (assembled with spring retainers)
6552	Seal kit, expander box (includes o-ring, seals, and silicone	8260B	(2) Shocks GTS rad-anodized (assembled with spring retainers) (2)
eese	grease)	8260R 8260	Shocks, GTS, red-anodized (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
6526 6527	Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage	0200	
6521	Sensor, temperature and voltage (long)		Slipper Clutch Components
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)	8292	Input shaft/ output shaft (transmission)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)	8286	Output shafts (transfer case), front & rear
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	8254	Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2))
oo- :	2250, 2255 servos)	8249	Slipper eliminator plate
2271	Servo case/ gaskets (for 2270 waterproof servo)		•

		0040	Commandate link front 5:400mm (laver) (-t) (0)
	Springs	8243 8244	Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2)
8041	Springs, shock (GTS) (front) (0.45 rate) (2)	8248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)
8040 8042	Springs, shock (GTS) (rear) (0.54 rate) (2) Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)	8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)
8043	Springs, shock (natural finish) (GTS) (0.32 rate, yellow stripe) (2)		Team Traxxas Items
8044	Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)	2514	Decal sheet, racing sponsors
8045	Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)	6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
	Spur Gears & Pinion Gears	9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
6746	Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw	9909	Traxxas® racing banner, red & black (3x7 feet)
6747	Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw		Tires & Wheels
3942X	Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	8169T 8168T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)	8169X	Beadlock rings, black (2.2) (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8168X	Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)
3944X	Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)	8169G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)
3945X	(fits 3mm shaft)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)	8168G	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)
	(fits 3mm shaft)/ set screw	8169R 8168R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)	8169	Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)
3947X	(fits 3mm shaft)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)	8168	Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48)
3341X	(fits 3mm shaft)/ set screw	8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)	1747P	extended thread stub axle) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
20.40	(fits 3mm shaft)/ set screw	1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
3949X	Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
3950X	Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
	(fits 3mm shaft)/ set screw	1747A 8174	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) Tires & wheels, assembled (Method Race Wheels® 105 Beadlock
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw	0174	1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires,
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)		foam inserts) (1 left, 1 right)
	(fits 3mm shaft)/ set screw	8182	Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" satin black chrome, blue beadlock style wheels, Canyon
6745	Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw		Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)
8279 8052	Ring gear, differential/ pinion gear, differential Spur gear, 39-tooth (32-pitch)	8166	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon
8053	Spur gear, 45-tooth (32-pitch)		Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires
	Steering Components	8177	#8255A extended thread stub axle) Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon
8232	Caster blocks (portal drive), left & right	•	Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires
8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right	04001/	#8255A extended thread stub axle)
8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right	8166X	Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle)
8232G	Caster blocks, 6061-T6 aluminum (green-anodized), left and right	8183X	Tires & wheels, assembled, glued (1.9" classic chrome wheels,
8232R 2072X	Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos)		Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet
2072A 2072R	Gear set, metal, high-speed (for 2070, 2075 servos)	0072	(requires #8255A extended thread stub axle)
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8273	Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)	8272X	Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2)
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))	8272	Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
8276	Rod ends (10)	9272	Tires & wheels, assembled, glued (TRX-4® Bronco 1.9" wheels,
8277 2742	Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6)	0.470	Canyon Trail 4.6x1.9" tires) (2)
8278	Rod ends, offset (4)	8172	Tires and wheels, assembled (Method 105 2.2™ black chrome beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1
8247X	Servo horn, steering, metal/ 3x14 BCS (1)		left, 1 right) (for use with TRX-4 Long Arm Lift Kit)
2075R 2250	Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque 300 coreless, metal gear (ball bearing),	8181	Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm
2255	waterproof Servo, digital high-torque 400 brushless, metal gear (ball	8270	Lift Kit) Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)
2200	bearing), waterproof	8170	Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof		4 Long-Arm Lift Kit)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	8269 8269X	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/
8246	captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)	0203A	3x10 screw pin (4)
8243	Suspension link, front, 5x100mm (lower) (steel) (2)	8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
8244	Suspension link, front, 5x63mm (upper) (steel) (2)		anodized) (4)/ 3x10 screw pin (4)
8248	Suspension link, rear, 5x109mm (upper or lower) (steel) (2)	8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4)
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
	Suspension Linkage		3x10 screw pin (4)
8274	Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8175	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)	8173	#8255A extended thread stub axle) Wheels, 1.9", Method Race Wheels® 105 Beadlock (black
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset	2	chrome, beadlock) (beadlock rings sold separately)
	(4))	8173A	Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal
8276 8277	Rod ends (10)	8171	gray, beadlock) (beadlock rings sold separately) Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock
8277 2742	Rod ends, angled 10-degrees (8) Rod ends, long (6)/ hollow ball connectors (6)	01/1	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
8278	Rod ends, offset (4)	8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,		rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
	captured (4)		

Page 6 TRX-4® Ford® Bronco®: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92076-4) Parts List

8883

8884

8880

8895

8896

8271	Wheels, TRX-4® 1.9 (2)
8271X 8268	Wheels, TRX-4® 1.9 (satin beadlock) (2) Wheels, TRX-4® Tactical 1.9 (2)
0200	
	Transmission Components
8283	Cable, T-lock (front)
8284	Cable, T-lock (rear)
8289	Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
8293X	Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5))
8291	Gearbox housing (includes main housing, front housing, & cover)
8285	Gears, transfer case (3)
5041	Grease, premium high performance (20cc)
8292	Input shaft/ output shaft (transmission)
8290X	Motor mount plate, 6061-T6 aluminum (blue-anodized)
8290A	Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
8290G	Motor mount plate, 6061-T6 aluminum (green-anodized)
8290R	Motor mount plate, 6061-T6 aluminum (red-anodized)
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup
	(1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black)
	(1) 3x6 BCS with threadlock (1))
8294	Output gear, high range, 24T (metal)
8286	Output shafts (transfer case), front & rear
8290	Plate, motor/ upper spur gear cover
8249	Slipper eliminator plate
8296	Transmission gears, single speed, metal
	Traxxas Tools

8296	Transmission gears, single speed, metal
	Traxxas Tools
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
	premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
	premium handle (medium), travel pouch, hex drivers (straight:
	1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
	3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end,
0711	includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)

TRX-4® Traxx®

wrenches/ driver handle)

Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm

3415

Bearing retainers, inner (2)/ outer (2)
Drive wheel (1)
Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right))
Spring (4)
Stub axle (1)
Stub axle nut (4)
Tension wheels (6)/ road wheels (4)
Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)
Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track)

Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)

Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track)

Traxx®, TRX-4® (4) (complete set, front & rear)

Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1)

Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM